

AUTO GENERATED INDEX

Contents

1.	Alphabetized definitions	1
2.	Definitions listed per chapter	24
3.	Other chapters	44

1. Alphabetized definitions

<p>(2, 1)-category in 27.1</p> <p>(2, 1)-periodic complex in 3.1</p> <p>(A, B)-bimodule in 11.6</p> <p>(R_k) in 141.1</p> <p>(R_k) in 12.1</p> <p>(S_k) in 141.1</p> <p>(S_k) in 12.1</p> <p>(S_k) in 13.1</p> <p>(S_k) in 13.1</p> <p>1-morphisms in 26.1</p> <p>2-category of algebraic stacks over S in 12.3</p> <p>2-category of categories fibred in groupoids over C in 32.6</p> <p>2-category of categories fibred in setoids over C in 36.3</p> <p>2-category of categories fibred in sets over C in 35.3</p> <p>2-category of categories over C in 29.1</p> <p>2-category of fibred categories over C in 30.8</p> <p>2-category of stacks in groupoids over C in 5.5</p> <p>2-category of stacks in setoids over C in 6.5</p> <p>2-category of stacks over C in 4.5</p> <p>2-category in 26.1</p> <p>2-morphisms in 26.1</p> <p>2-periodic complex in 3.1</p> <p>α-small with respect to I in 6.4</p> <p>δ is compatible with γ in 8.1</p>	<p>δ-dimension of Z in 7.5</p> <p>δ-functor from A to D in 3.6</p> <p>δ-functor in 9.1</p> <p>δ(τ) in 33.2</p> <p>δ_Jⁿ : [n - 1] → [n] in 2.1</p> <p>ℓ-adic cohomology in 80.8</p> <p>ε-invariant in 27.3</p> <p>Hom(U, V) in 13.1</p> <p>Hom(U, V) in 15.1</p> <p>κ-generated in 21.1</p> <p>Z_ℓ-sheaf in 80.1</p> <p>C_Λ in 3.1</p> <p>\mathcal{F} is locally finitely presented relative to S in 2.1</p> <p>\mathcal{G}-torsor in 5.1</p> <p>\mathcal{G}-torsor in 5.1</p> <p>\mathcal{I} is cofinal in \mathcal{J} in 17.5</p> <p>\mathcal{K}_X in 15.1</p> <p>\mathcal{O}^* in 28.1</p> <p>\mathcal{O}_1-derivation in 29.1</p> <p>\mathcal{O}_X-module in 7.1</p> <p>S is endowed with the topology inherited from C in 10.2</p> <p>S_F in 33.2</p> <p>S_F in 34.2</p> <p>X is relatively representable over Y in 38.5</p> <p>φ lies over f in 29.2</p> <p>Sh(C) in 7.5</p> <p>σ_Jⁿ : [n + 1] → [n] in 2.1</p> <p>τ G-torsor in 9.3</p>
---	---

- τ G -torsor in 9.3
- τ local on the base in 18.1
- τ local on the base in 9.1
- τ local on the source in 22.1
- τ local on the source in 12.1
- τ local on the target in 18.1
- τ local on the target in 9.1
- τ torsor in 9.3
- τ torsor in 9.3
- τ -covering in 20.1
- $\text{Adeq}((\text{Sch}/S)_\tau, \mathcal{O})$ in 5.7
- $\text{Adeq}(\mathcal{O})$ in 5.7
- $\text{Adeq}(S)$ in 5.7
- Mod_G in 57.1
- Ext-group in 4.2
- $\text{Fil}^f(\mathcal{A})$ in 23.4
- $\underline{U} = h_U$ in 12.3
- φ -derivation in 29.1
- \widehat{C}_Λ in 4.1
- C_r in 59.8
- $C_{S/R}$ in 137.2
- $d(M)$ in 57.7
- f has relative dimension d at x in 30.1
- F is relatively representable over G in 8.2
- f -ample in 37.1
- F -crystal on X/S (relative to σ) in 31.2
- f -map $\varphi : \mathcal{G} \rightarrow \mathcal{F}$ in 16.8
- f -map $\xi : \mathcal{G} \rightarrow \mathcal{F}$ in 21.7
- f -relatively ample in 37.1
- f -relatively very ample in 38.1
- f -very ample in 38.1
- $f^{-1}S$ in 12.9
- f_*S in 12.4
- G -equivariant quasi-coherent \mathcal{O}_X -module in 10.1
- G -equivariant quasi-coherent \mathcal{O}_X -module in 10.1
- G -equivariant in 8.1
- G -equivariant in 8.1
- G -invariant in 3.1
- G -module in 57.1
- G -set in 55.1
- G -torsor in the τ topology in 9.3
- G -torsor in the τ topology in 9.3
- G -torsor in 9.3
- G -trace of f on P in 77.2
- G -Sets in 55.1
- $g_!\mathcal{F} = (g_{p!}\mathcal{F})^\#$ in 16.1
- $g_{p!}\mathcal{F}$ in 16.1
- $H^{i+k}(A^\bullet) \rightarrow H^i(A[k]^\bullet)$ in 12.8
- H_1 -regular ideal in 23.1
- H_1 -regular immersion in 13.1
- H_1 -regular immersion in 21.2
- H_1 -regular in 22.1
- H_1 -regular in 12.2
- $H_{i+k}(A_\bullet) \rightarrow H_i(A[k]_\bullet)$ in 12.2
- I -adically complete in 91.5
- I -adically complete in 91.5
- I -depth in 66.4
- I -power torsion module in 8.1
- i th extension group in 26.1
- i th right derived functor $R^i F$ of F in 16.2
- k -cycle associated to \mathcal{F} in 10.2
- k -cycle associated to Z in 9.2
- k -cycle in 8.1
- k -shifted chain complex $A[k]_\bullet$ in 12.1
- k -shifted cochain complex $A[k]^\bullet$ in 12.7
- L -function of \mathcal{F} in 81.1
- L -function of \mathcal{F} in 81.3
- $M \mapsto M^\vee$ in 3.1
- m -pseudo-coherent relative to R in 46.4
- m -pseudo-coherent relative to R in 46.4
- m -pseudo-coherent in 41.1
- m -pseudo-coherent in 41.1
- M -quasi-regular in 67.1
- M -regular sequence in I in 66.1
- M -regular in 66.1
- n -simplex of U in 11.1
- n -truncated simplicial object of \mathcal{C} in 17.1
- R -bilinear in 11.1
- R -derivation in 123.1
- R -equivalent in 5.4
- R -invariant in 16.1
- R -invariant in 16.1
- R -invariant in 16.1
- R -invariant in 17.1
- R -invariant in 17.1
- R -invariant in 17.1
- R -invariant in 3.1
- R -linear in 10.1
- R -module of finite presentation in 5.1
- R -orbit in 5.1
- R -orbit in 5.4
- $R_{(f)}$ in 20.3
- S is a finite type R -algebra in 6.1

- S*-derivation $D : \mathcal{O}_{X/S} \rightarrow \mathcal{F}$ in 16.1
- S*-derivation in 33.1
- S*-pure in 16.1
- S*-pure in 16.1
- S*-rational map from X to Y in 9.1
- U in 12.3
- V_\bullet is cartesian over X_\bullet in 36.1
- x lies over U in 29.2
- $X_{spaces, \acute{e}tale}$ in 16.2
- Y -derivation in 29.6
- 2-fibre product of f and g in 28.2
- 2-morphism from f to g in 32.1
- 2-morphism from f to g in 8.1
- étale* at \mathfrak{q} in 133.1
- étale* at $x \in X$ in 36.1
- étale* at $x \in X$ in 11.4
- étale* at x in 35.1
- étale* covering of T in 4.1
- étale* covering of X in 7.1
- étale* covering in 4.1
- étale* covering in 27.1
- étale* equivalence relation in 9.2
- étale* homomorphism of local rings in 11.1
- étale* local on source-and-target in 28.3
- étale* local on the source-and-target in 29.1
- étale* local ring of S at \bar{s} in 33.2
- étale* local ring of X at \bar{x} in 20.2
- étale* local in 17.1
- étale* neighborhood in 29.1
- étale* neighborhood in 17.2
- étale* neighbourhood of (S, s) in 26.1
- étale* sheaf in 4.3
- étale* topos in 21.1
- étale* topos in 16.6
- étale* in 133.1
- étale* in 36.1
- étale* in 16.2
- étale* in 11.4
- étale* in 26.1
- étale* in 14.2
- Čech* cohomology groups in 18.1
- Čech* complex in 18.1
- abelian presheaf over X in 4.4
- abelian presheaf in 9.1
- abelian sheaf on X in 8.1
- abelian sheaves in 11.4
- abelian variety in 61.1
- abelian in 3.12
- absolute frobenius in 66.1
- absolute Galois group in 56.1
- abuts to in 17.6
- action of G on the algebraic space X/B in 8.1
- action of G on the scheme X/S in 8.1
- acts freely in 14.4
- acyclic for LF in 15.3
- acyclic for RF in 15.3
- acyclic in 10.4
- acyclic in 10.10
- additive in 3.1
- additive in 3.8
- adequate in 3.2
- adequate in 5.1
- adic in 27.1
- admissible relation in 2.1
- admissible in 27.1
- admissible in 2.1
- affine n -space over R in 5.1
- affine n -space over S in 5.1
- affine blowup algebra in 55.1
- affine cone associated to \mathcal{A} in 7.1
- affine scheme in 5.5
- affine variety in 16.1
- affine in 12.1
- affine in 19.2
- algebraic k -scheme in 13.1
- algebraic closure of k in K in 39.6
- algebraic space over S in 6.1
- algebraic space structure on Z in 9.3
- algebraic stack over S in 12.1
- algebraic stack structure on Z in 10.4
- algebraic stack in 5.1
- algebraically closed in K in 39.6
- algebraically independent in 38.1
- algebraic in 39.1
- algebraic in 56.1
- algebraic in 8.1
- almost cocontinuous in 37.3
- almost integral over R in 34.3
- alternating Čech complex in 17.1
- alternating Čech complex in 6.2
- amalgamated sum in 5.1
- ample on X/S in 37.1
- ample in 23.1

- an A -module finitely presented relative to R* in 45.2
- an f -power torsion module* in 8.1
- an ideal of definition of R* in 57.1
- analytically unramified* in 145.23
- analytically unramified* in 145.23
- arithmetic frobenius* in 66.9
- Artinian* in 50.1
- Artinian* in 5.16
- associated étale site* in 4.1
- associated fppf site* in 4.1
- associated graded ring* in 21.4
- associated morphism of fppf topoi* in 4.5
- associated points of X* in 2.1
- associated simple complex sA^\bullet* in 19.2
- associated smooth site* in 4.1
- associated syntomic site* in 4.1
- associated total complex* in 19.2
- associated Zariski site* in 4.1
- associated* in 61.1
- associated* in 2.1
- associates* in 112.1
- augmentation $\epsilon : U \rightarrow X$ of U towards*
- an object X of \mathcal{C}* in 18.1
- auto-associated* in 10.1
- automorphism functor of x* in 18.5
- base change of F' to S* in 16.2
- base change* in 13.1
- base change* in 13.1
- base change* in 18.1
- base change* in 18.1
- base change* in 18.1
- base for the topology on X* in 3.1
- basis for the topology on X* in 3.1
- big τ -site of S* in 20.4
- big τ -topos* in 21.1
- big étale site of S* in 4.8
- big étale site over S* in 27.3
- big étale site* in 4.6
- big affine étale site of S* in 4.8
- big affine fppf site of S* in 7.8
- big affine smooth site of S* in 5.8
- big affine syntomic site of S* in 6.8
- big affine Zariski site of S* in 3.7
- big crystalline site* in 12.4
- big fppf site of S* in 7.8
- big fppf site* in 7.6
- big smooth site of S* in 5.8
- big smooth site* in 5.6
- big syntomic site of S* in 6.8
- big syntomic site* in 6.6
- big Zariski site of S* in 3.7
- big Zariski site* in 3.5
- big* in 27.3
- birational* in 8.1
- blowing up of X along Z* in 21.1
- blowing up of X in the ideal sheaf \mathcal{I}* in 21.1
- blowup algebra* in 55.1
- bounded above* in 7.1
- bounded below* in 7.1
- bounded derived category* in 10.3
- bounded filtered derived category* in 13.7
- bounded* in 7.1
- bounds the degrees of the fibres of f* in 49.1
- Brauer group* in 5.2
- Brauer group* in 59.4
- canonical descent datum* in 2.3
- canonical descent datum* in 30.10
- canonical descent datum* in 30.11
- canonical descent datum* in 3.3
- canonical descent datum* in 3.5
- canonical scheme structure on T* in 26.2
- canonical topology* in 40.12
- Cartan-Eilenberg resolution* in 20.1
- cartesian* in 36.1
- Cartier divisor* in 34.1
- categorical quotient in \mathcal{C}* in 4.1
- categorical quotient in schemes* in 4.1
- categorical quotient in the category of schemes* in 4.1
- categorical quotient* in 4.1
- category $\widehat{\mathcal{F}}$ of formal objects of \mathcal{F}* in 7.1
- category cofibered in groupoids over \mathcal{C}* in 5.1
- category fibred in discrete categories* in 35.2
- category fibred in setoids* in 36.2
- category fibred in sets* in 35.2
- category of (cochain) complexes* in 7.1
- category of cosimplicial objects of \mathcal{C}* in 5.1
- category of finite filtered objects of \mathcal{A}* in 13.1

- category of groupoids in functors on \mathcal{C}* in 19.1
- category of sheaves of sets* in 11.4
- category of simplicial objects of \mathcal{C}* in 3.1
- category* in 2.1
- catenary* in 8.1
- catenary* in 98.1
- catenary* in 11.1
- catenary* in 12.1
- Cech cohomology groups* in 9.1
- Cech complex* in 9.1
- centered* in 47.1
- central* in 2.4
- chain of irreducible closed subsets* in 7.1
- change of base of \mathcal{X}'* in 19.3
- chern classes of \mathcal{E} on X* in 34.1
- choice of pullbacks* in 30.5
- Chow group of k -cycles module rational equivalence on X* in 19.1
- Chow group of k -cycles on X* in 19.1
- class group of A* in 15.3
- classical case* in 3.1
- closed immersion of ringed spaces* in 13.1
- closed immersion* in 4.1
- closed immersion* in 10.2
- closed immersion* in 12.1
- closed immersion* in 9.1
- closed subgroup scheme* in 4.3
- closed subscheme* in 10.2
- closed subspace of X associated to the sheaf of ideals \mathcal{I}* in 4.4
- closed subspace* in 12.1
- closed substack* in 9.8
- closed* in 12.2
- closed* in 10.2
- closed* in 11.2
- closed* in 5.22
- coarse quotient in schemes* in 6.1
- coarse quotient* in 6.1
- cocontinuous* in 18.1
- cocycle condition* in 2.1
- cocycle condition* in 3.1
- cocycle condition* in 30.1
- cocycle condition* in 3.1
- cocycle condition* in 3.1
- codimension* in 8.3
- codirected* in 18.1
- codirected* in 18.1
- coefficient ring* in 144.4
- coequalizer* in 11.1
- cofiltered* in 18.1
- cofiltered* in 18.1
- Cohen ring* in 144.5
- Cohen-Macaulay at x* in 16.1
- Cohen-Macaulay morphism* in 16.1
- Cohen-Macaulay* in 96.1
- Cohen-Macaulay* in 97.1
- Cohen-Macaulay* in 97.6
- Cohen-Macaulay* in 8.1
- Cohen-Macaulay* in 13.2
- Cohen-Macaulay* in 21.1
- coherent \mathcal{O}_X -module* in 12.1
- coherent module* in 85.1
- coherent ring* in 85.1
- coherent* in 23.1
- coherent* in 29.6
- cohomological δ -functor* in 9.1
- cohomological* in 3.5
- cohomology modules* in 3.1
- cohomology modules* in 3.1
- coimage of f* in 3.9
- cokernel* in 3.9
- colimit* in 13.2
- colimit* in 2.3
- collapses at E_r* in 14.2
- combinatorially equivalent* in 8.2
- commutative* in 25.3
- compact object* in 44.2
- compatible with the triangulated structure* in 5.1
- complete dévissage of $\mathcal{F}/X/S$ at x* in 6.2
- complete dévissage of $\mathcal{F}/X/S$ over s* in 6.1
- complete dévissage of $N/S/R$ at \mathfrak{q}* in 7.4
- complete dévissage of $N/S/R$ over \mathfrak{r}* in 7.2
- complete intersection (over k)* in 125.5
- complete local ring* in 144.1
- completely normal* in 34.3
- completion $(U, R, s, t, c)^\wedge$ of (U, R, s, t, c)* in 20.2
- completion of \mathcal{F}* in 7.3
- complex* in 3.18
- composition $f \circ g$* in 15.1
- composition of φ and ψ* in 21.9

- composition of morphisms of germs* in 16.1
- composition of morphisms of ringed sites* in 6.1
- composition of morphisms of ringed spaces* in 25.3
- composition of morphisms of ringed topoi* in 7.1
- composition* in 26.1
- composition* in 14.4
- computes* in 14.10
- computes* in 14.10
- condition (RS)* in 15.1
- conditions (S1) and (S2)* in 9.1
- cone $\pi : C \rightarrow S$ over S* in 7.2
- cone associated to \mathcal{A}* in 7.1
- cone* in 8.1
- connected component* in 4.1
- connected component* in 5.26
- connected* in 15.1
- connected* in 4.1
- connected* in 5.26
- conormal algebra $\mathcal{C}_{Z/X,*}$ of Z in X* in 11.1
- conormal algebra of f* in 11.1
- conormal module* in 137.2
- conormal sheaf $\mathcal{C}_{Z/X}$ of Z in X* in 32.1
- conormal sheaf $\mathcal{C}_{Z/X}$ of Z in X* in 4.1
- conormal sheaf of i* in 32.1
- conormal sheaf of i* in 4.1
- conormal sheaf of Z over X* in 5.2
- conormal sheaf of Z over X* in 11.5
- conservative* in 34.1
- constant presheaf with value A* in 3.2
- constant sheaf with value A* in 7.4
- constant sheaf* in 23.1
- constructible* in 10.1
- constructible* in 62.3
- continuous group cohomology groups* in 57.3
- continuous* in 13.1
- contravariant* in 3.2
- converges to* in 17.6
- converges* in 17.6
- converges* in 18.7
- converges* in 19.4
- converges* in 19.4
- coproduct* in 5.1
- coproduct* in 13.6
- cosimplicial abelian group* in 5.1
- cosimplicial object U of \mathcal{C}* in 5.1
- cosimplicial set* in 5.1
- coverings of \mathcal{C}* in 6.2
- coverings* in 10.2
- covering* in 2.4
- covers F* in 15.3
- crystal in $\mathcal{O}_{X/S}$ -modules* in 15.1
- crystal in finite locally free modules* in 15.3
- crystal in quasi-coherent modules* in 15.3
- crystalline site* in 13.1
- curve* in 59.13
- cycle on X* in 8.1
- decent* in 6.1
- decent* in 13.1
- decreasing filtration* in 13.1
- Dedekind domain* in 112.8
- deformation category* in 15.8
- degeneracy of x* in 11.1
- degenerates at E_r* in 14.2
- degenerate* in 11.1
- degree d finite Hilbert stack of \mathcal{X} over \mathcal{Y}* in 17.2
- degree of X over Y* in 46.5
- degree of inseparability* in 39.3
- degree* in 45.1
- degree* in 38.2
- Deligne-Mumford stack* in 12.2
- depth k at a point* in 13.1
- depth k at a point* in 13.1
- depth* in 66.4
- derivation* in 123.1
- derivation* in 33.1
- derived category of \mathcal{A}* in 10.3
- derived category of $\mathcal{O}_{\mathcal{X}}$ -modules with quasi-coherent cohomology sheaves* in 13.1
- derived category of \mathcal{O}_X -modules with quasi-coherent cohomology sheaves* in 3.1
- derived tensor product* in 3.12
- derived tensor product* in 20.13
- derived tensor product* in 17.11
- descent datum $(\mathcal{F}_i, \varphi_{ij})$ for quasi-coherent sheaves* in 2.1
- descent datum $(\mathcal{F}_i, \varphi_{ij})$ for quasi-coherent sheaves* in 3.1

- descent datum* (N, φ) for modules with respect to $R \rightarrow A$ in 3.1
- descent datum* (V_i, φ_{ij}) relative to the family $\{X_i \rightarrow S\}$ in 30.3
- descent datum* (X_i, φ_{ij}) in \mathcal{S} relative to the family $\{f_i : U_i \rightarrow U\}$ in 3.1
- descent datum for* $V/X/S$ in 30.1
- descent datum relative to* $X \rightarrow S$ in 30.1
- descent datum* in 16.1
- descent datum* in 16.5
- determinant of* (M, φ, ψ) in 3.4
- determinant of the finite length R -module* in 2.1
- differential* $d\varphi : T\mathcal{F} \rightarrow T\mathcal{G}$ of φ in 11.3
- differential graded algebra* in 25.1
- differential object* in 16.1
- dimension function* in 16.1
- dimension of* X at x in 10.1
- dimension of* X at x in 8.1
- dimension of the local ring of* X at x in 21.2
- dimension of the local ring of the fibre of* f at x in 30.1
- dimension* in 7.1
- dimension* in 10.1
- dimension* in 8.2
- direct image functor* in 21.1
- direct image functor* in 19.1
- direct image* in 35.1
- direct image* in 35.3
- direct sum dévissage* in 79.1
- direct sum* in 3.5
- directed inverse system* in 19.2
- directed partially ordered set* in 2.1
- directed set* in 8.1
- directed system* in 19.2
- directed system* in 8.2
- directed* in 17.1
- directed* in 17.1
- directed* in 19.2
- discrete G -module* in 57.1
- discrete G -set* in 55.1
- discrete valuation ring* in 47.8
- discrete* in 35.1
- distance between* M and M' in 113.5
- distinguished triangle of* $K(\mathcal{A})$ in 9.1
- distinguished triangles* in 3.2
- divided power A -derivation* in 10.1
- divided power envelope of* J in B relative to (A, I, γ) in 6.2
- divided power ring* in 3.1
- divided power scheme* in 11.2
- divided power structure* γ in 11.1
- divided power structure* in 2.1
- divided power thickening of* X relative to (S, \mathcal{I}, γ) in 12.1
- divided power thickening* in 9.2
- divided power thickening* in 11.3
- DM over* S in 4.2
- DM* in 4.1
- DM* in 4.2
- dominant* in 7.1
- dominates* in 47.1
- dominates* in 83.2
- double complex* in 19.1
- dual numbers* in 28.1
- effective Cartier divisor* in 9.1
- effective Cartier divisor* in 34.1
- effective epimorphism* in 12.1
- effective* in 2.3
- effective* in 3.4
- effective* in 30.10
- effective* in 30.11
- effective* in 16.1
- effective* in 16.6
- effective* in 3.3
- effective* in 3.5
- Eilenberg-MacLane object* $K(A, k)$ in 20.3
- elementary étale localization of the ring map* $R \rightarrow S$ at \mathfrak{q} in 7.1
- elementary étale neighbourhood* in 26.1
- elementary standard in* A over R in 3.3
- embedded associated point* in 4.1
- embedded associated primes* in 65.1
- embedded component* in 4.1
- embedded point* in 4.1
- embedded primes of* R in 65.1
- enough injectives* in 20.4
- enough projectives* in 21.4
- epimorphism* in 23.1
- equalizer* in 10.1
- equidimensional* in 7.4
- equivalence of categories* in 2.17
- equivalence relation on* U over B in 4.1
- equivalence relation on* U over S in 3.1
- equivalent* in 26.4

- equivalent* in 26.4
- equivalent* in 9.1
- equivalent* in 59.3
- equivariant quasi-coherent \mathcal{O}_X -module* in 10.1
- equivariant quasi-coherent \mathcal{O}_X -module* in 10.1
- equivariant* in 8.1
- equivariant* in 8.1
- essential surjection* in 3.9
- essentially constant inverse system* in 20.2
- essentially constant system* in 20.2
- essentially constant* in 20.1
- essentially of finite presentation* in 51.1
- essentially of finite type* in 51.1
- essentially surjective* in 2.9
- Euler-Poincaré function* in 19.2
- everywhere defined* in 14.9
- everywhere defined* in 14.9
- exact at y* in 3.18
- exact couple* in 15.1
- exact functor* in 3.3
- exact sequences of graded modules* in 19.3
- exact* in 21.1
- exact* in 3.18
- exact* in 3.1
- excellent* in 40.1
- exhaustive* in 13.1
- extends* in 4.1
- extension E of B by A* in 4.1
- extension $j_! \mathcal{F}$ of \mathcal{F} by 0* in 31.5
- extension $j_! \mathcal{F}$ of \mathcal{F} by e* in 31.5
- extension $j_{p!} \mathcal{F}$ of \mathcal{F} by 0* in 31.5
- extension $j_{p!} \mathcal{F}$ of \mathcal{F} by e* in 31.5
- extension by 0* in 31.5
- extension by 0* in 31.5
- extension by zero* in 19.1
- extension by zero* in 63.1
- extension of \mathcal{F} by the empty set $j_! \mathcal{F}$* in 31.3
- extension of \mathcal{F} by the empty set $j_{p!} \mathcal{F}$* in 31.3
- extension of \mathcal{G} by the empty set* in 21.1
- face of x* in 11.1
- faithfully flat* in 36.1
- faithfully flat* in 36.1
- faithfully flat* in 9.1
- faithfully flat* in 9.3
- faithful* in 2.9
- family of morphisms with fixed target* in 6.1
- family of morphisms with fixed target* in 10.1
- fibre category* in 29.2
- fibre of f over s* in 18.4
- fibre product of V and W over U* in 7.1
- fibre product of V and W over U* in 10.1
- fibre product* in 6.1
- fibre product* in 17.1
- fibred category over \mathcal{C}* in 30.4
- fibred in groupoids* in 32.1
- fibres of f are universally bounded* in 49.1
- fibres of f are universally bounded* in 3.1
- field of rational functions* in 9.5
- filtered acyclic* in 13.2
- filtered acyclic* in 23.7
- filtered complex K^\bullet of \mathcal{A}* in 18.1
- filtered derived category of \mathcal{A}* in 13.5
- filtered derived functor* in 71.1
- filtered differential object* in 17.1
- filtered injective* in 25.1
- filtered injective* in 70.1
- filtered injective* in 23.3
- filtered object of \mathcal{A}* in 13.1
- filtered quasi-isomorphism* in 13.2
- filtered quasi-isomorphism* in 70.1
- filtered quasi-isomorphism* in 23.6
- filtered* in 17.1
- filtered* in 17.1
- final object* in 28.1
- final* in 12.1
- finer* in 40.8
- finite Tor-dimension* in 75.1
- finite R -module* in 5.1
- finite free* in 17.1
- finite global dimension* in 102.6
- finite locally constant* in 62.1
- finite locally free* in 73.1
- finite locally free* in 14.1
- finite locally free* in 23.1
- finite locally free* in 45.1
- finite locally free* in 38.2
- finite locally free* in 15.1
- finite presentation at $x \in X$* in 21.1

- finite presentation at x* in 26.1
- finite presentation* in 6.1
- finite presentation* in 11.1
- finite presentation* in 21.1
- finite presentation* in 2.8
- finite projective dimension* in 102.2
- finite tor dimension* in 42.1
- finite tor dimension* in 42.1
- finite type at $x \in X$* in 15.1
- finite type at x* in 22.1
- finite type point* in 16.3
- finite type point* in 24.2
- finite type point* in 14.2
- finite type* in 6.1
- finite type* in 9.1
- finite type* in 15.1
- finitely generated R -module* in 5.1
- finitely presented R -module* in 5.1
- finite* in 7.1
- finite* in 2.1
- finite* in 13.1
- finite* in 43.1
- finite* in 37.2
- first order infinitesimal neighbourhood* in 3.1
- first order infinitesimal neighbourhood* in 8.1
- first order thickening* in 2.1
- first order thickening* in 7.1
- flat (resp. faithfully flat)* in 9.1
- flat at $x \in X$* in 9.3
- flat at x over Y* in 28.2
- flat at x* in 16.3
- flat at x* in 17.1
- flat at x* in 27.1
- flat at a point $x \in X$* in 25.1
- flat base change property* in 7.1
- flat group scheme* in 4.4
- flat local complete intersection over R* in 126.1
- flat over S at a point $x \in X$* in 25.1
- flat over S* in 25.1
- flat over Y at $x \in X$* in 9.3
- flat over Y* in 28.2
- flat pullback of α by f* in 14.1
- flat pullback* in 3.4
- flat-fppf site* in 11.1
- flattening stratification* in 21.2
- flattening stratification* in 21.2
- flat* in 36.1
- flat* in 36.1
- flat* in 16.1
- flat* in 17.1
- flat* in 26.1
- flat* in 26.1
- flat* in 26.1
- flat* in 26.1
- flat* in 27.1
- flat* in 27.1
- flat* in 25.1
- flat* in 9.1
- flat* in 9.3
- flat* in 27.1
- flat* in 17.1
- formal object $\xi = (R, \xi_n, f_n)$ of \mathcal{F}* in 7.1
- formally étale over R* in 138.1
- formally étale* in 6.1
- formally étale* in 9.1
- formally étale* in 12.1
- formally principally homogeneous under G* in 9.1
- formally principally homogeneous under G* in 9.1
- formally smooth for the \mathfrak{n} -adic topology* in 28.3
- formally smooth over R* in 128.1
- formally smooth over R* in 28.1
- formally smooth* in 9.1
- formally smooth* in 9.1
- formally smooth* in 15.1
- formally unramified over R* in 136.1
- formally unramified* in 4.1
- formally unramified* in 9.1
- formally unramified* in 10.1
- fppf covering of T* in 7.1
- fppf covering of X* in 4.1
- fppf sheaf* in 4.3
- fpqc covering of T* in 8.1
- fpqc covering of X* in 3.1
- fpqc covering* in 15.1
- free \mathcal{O} -module* in 17.1
- free abelian presheaf on \mathcal{G}* in 18.4
- free abelian presheaf* in 4.1
- free abelian sheaf* in 5.1
- free module* in 3.1
- free* in 8.2

- free* in 8.2
- full subcategory* in 2.10
- fully faithful* in 2.9
- function field* in 9.5
- functorial injective embeddings* in 20.5
- functorial projective surjections* in 21.5
- functor* in 2.8
- functor* in 26.5
- G-ring* in 39.1
- G-unramified at \mathfrak{q}* in 139.1
- G-unramified at $x \in X$* in 35.1
- G-unramified at x* in 34.1
- G-unramified* in 139.1
- G-unramified* in 35.1
- G-unramified* in 34.1
- Galois cohomology groups of K with coefficients in M* in 57.3
- Galois cohomology groups* in 57.3
- Galois* in 39.1
- generalizations lift along f* in 14.3
- generalization* in 14.1
- generalization* in 5.22
- generalizing* in 14.3
- generated by finitely many global sections* in 17.1
- generated by global sections* in 4.1
- generated by global sections* in 17.1
- generate* in 4.1
- generator* in 14.1
- generic point* in 5.4
- generic point* in 5.12
- geometric frobenius* in 66.5
- geometric frobenius* in 66.11
- geometric point lying over x* in 17.1
- geometric point* in 29.1
- geometric point* in 17.1
- geometric quotient* in 10.1
- geometrically connected over k* in 45.3
- geometrically connected* in 5.1
- geometrically integral over k* in 46.1
- geometrically integral* in 7.1
- geometrically irreducible over k* in 44.6
- geometrically irreducible* in 6.1
- geometrically normal at x* in 8.1
- geometrically normal* in 148.2
- geometrically normal* in 8.1
- geometrically pointwise integral at x* in 7.1
- geometrically pointwise integral* in 7.1
- geometrically reduced at x* in 4.1
- geometrically reduced over k* in 41.1
- geometrically reduced* in 4.1
- geometrically regular at x* in 10.1
- geometrically regular over k* in 10.1
- geometrically regular* in 149.2
- geometrically unibranch at x* in 22.2
- geometrically unibranch* in 22.2
- gerbe over* in 11.4
- gerbe over* in 19.1
- gerbe* in 11.1
- gerbe* in 19.1
- germ of X at x* in 16.1
- global complete intersection over k* in 125.1
- global dimension* in 102.6
- global finite presentation* in 17.1
- global Lefschetz number* in 76.1
- global presentation* in 17.1
- global sections* in 39.1
- going down* in 37.1
- going up* in 37.1
- going-down theorem* in 17.1
- going-up theorem* in 17.1
- good quotient* in 9.1
- graded A -algebra* in 19.3
- graded ideals* in 19.3
- graded module M over a graded A -algebra B* in 19.3
- graded module* in 19.2
- graded object of \mathcal{A}* in 13.12
- graded submodules* in 19.3
- Grothendieck abelian category* in 14.1
- group algebraic space over B* in 5.1
- group cohomology groups* in 57.3
- group of infinitesimal automorphisms of x' over x* in 18.1
- group of infinitesimal automorphisms of x_0* in 18.2
- group scheme over S* in 4.1
- groupoid in algebraic spaces over B* in 11.1
- groupoid in functors on \mathcal{C}* in 19.1
- groupoid over S* in 11.1
- groupoid scheme over S* in 11.1
- groupoid* in 2.5
- Gysin homomorphism* in 28.1

- H-projective* in 42.1
- H-quasi-projective* in 40.1
- has coproducts of pairs of objects* in 5.2
- has enough points* in 34.1
- has fibre products* in 6.2
- has products of pairs of objects* in 4.2
- has property (β)* in 13.1
- has property (β)* in 13.1
- has property \mathcal{P} at x* in 7.5
- has property \mathcal{P} at x* in 7.5
- has property \mathcal{P}* in 7.2
- has property \mathcal{P}* in 21.2
- has property \mathcal{P}* in 7.2
- has property \mathcal{P}* in 12.2
- has property \mathcal{Q} at x* in 21.4
- Hausdorff* in 5.6
- height* in 58.2
- henselian* in 140.1
- henselian* in 32.2
- henselization of $\mathcal{O}_{S,s}$* in 33.2
- henselization of S at s* in 33.2
- henselization* in 140.14
- Herbrand quotient* in 3.2
- higher direct images* in 35.4
- Hilbert function* in 19.2
- Hilbert polynomial* in 19.2
- homogeneous spectrum $\text{Proj}(R)$* in 20.2
- homogeneous spectrum of \mathcal{A} over S* in 16.7
- homogeneous spectrum* in 54.1
- homogeneous spectrum* in 8.3
- homogeneous* in 20.1
- homological* in 3.5
- homology of K* in 3.1
- homology* in 16.3
- homomorphism of differential graded algebras* in 25.2
- homomorphism of divided power rings* in 3.1
- homomorphism of divided power thickenings* in 9.2
- homomorphism of systems* in 8.7
- homomorphism of topological modules* in 27.1
- homomorphism of topological rings* in 27.1
- homomorphisms of graded modules/rings* in 19.3
- homotopic* in 24.1
- homotopic* in 26.1
- homotopy connecting a and b* in 24.1
- homotopy connecting a and b* in 26.1
- homotopy equivalence* in 10.2
- homotopy equivalence* in 10.8
- homotopy equivalence* in 24.5
- homotopy equivalent* in 10.2
- homotopy equivalent* in 10.8
- homotopy equivalent* in 24.5
- horizontal* in 25.1
- horizontal* in 26.1
- hypercovering* in 2.6
- ideal of definition* in 27.1
- ideal sheaf of denominators of s* in 15.14
- image of φ* in 3.5
- image of f* in 3.9
- image of the short exact sequence under the given δ -functor* in 3.6
- immediate specialization* in 16.1
- immersion* in 10.2
- immersion* in 12.1
- immersion* in 9.1
- impurity of \mathcal{F} above s* in 15.2
- induced filtration* in 13.1
- induced filtration* in 17.4
- induced filtration* in 18.5
- inductive system over I in \mathcal{C}* in 19.1
- inertia fibred category \mathcal{I}_S of S* in 31.2
- initial* in 12.1
- injective resolution of A* in 17.1
- injective resolution of K^\bullet* in 17.1
- injective* in 16.2
- injective* in 16.2
- injective* in 3.1
- injective* in 11.1
- injective* in 3.14
- injective* in 20.1
- inseparable degree* in 39.3
- integral closure of \mathcal{O}_X in \mathcal{A}* in 47.2
- integral closure* in 33.8
- integral over I* in 35.1
- integral over R* in 33.1
- integrally closed* in 33.8
- integral* in 33.1
- integral* in 3.1
- integral* in 43.1
- integral* in 37.2

- integral* in 26.12
- interior* in 17.1
- intersection with the j th chern class of \mathcal{E}* in 35.1
- intersection with the first chern class of \mathcal{L}* in 25.1
- inverse image $f^{-1}(Z)$ of the closed subscheme Z* in 17.7
- inverse image* in 36.1
- inverse system over I in \mathcal{C}* in 19.1
- invertible \mathcal{O} -module* in 28.1
- invertible \mathcal{O}_X -module* in 21.1
- invertible \mathcal{O}_X -module* in 32.1
- invertible module M* in 32.4
- invertible module* in 15.1
- invertible sheaf $\mathcal{O}_S(D)$ associated to D* in 9.11
- irreducible component* in 5.1
- irreducible component* in 5.18
- irreducible* in 5.1
- irreducible* in 112.1
- irreducible* in 5.9
- irreducible* in 5.9
- is essentially constant* in 20.1
- isolated point* in 18.3
- isomorphism* in 2.4
- J -0* in 36.1
- J -1* in 36.1
- J -2* in 36.1
- J -2* in 19.1
- Jacobson ring* in 32.1
- Jacobson* in 13.1
- Jacobson* in 6.1
- Japanese* in 145.1
- Japanese* in 13.1
- K -flat* in 3.3
- K -flat* in 20.2
- K -flat* in 17.2
- K -injective* in 28.1
- Kaplansky dévissage* in 79.1
- kernel of F* in 6.5
- kernel of H* in 6.5
- kernel of the functor F* in 7.5
- kernel* in 3.9
- Kolmogorov* in 5.4
- Koszul at x* in 39.2
- Koszul at x* in 24.1
- Koszul complex on f_1, \dots, f_r* in 21.2
- Koszul complex on f_1, \dots, f_r* in 20.2
- Koszul complex* in 21.1
- Koszul complex* in 20.1
- Koszul morphism* in 39.2
- Koszul morphism* in 24.1
- Koszul-regular ideal* in 23.1
- Koszul-regular immersion* in 13.1
- Koszul-regular immersion* in 21.2
- Koszul-regular* in 22.1
- Koszul-regular* in 12.2
- Krull dimension of X at x* in 7.1
- Krull dimension* in 7.1
- Krull dimension* in 58.1
- lattice in V* in 113.3
- left acyclic for F* in 15.3
- left adjoint* in 22.1
- left deriveable* in 14.9
- left derived functor LF is defined at* in 14.2
- left derived functors of F* in 15.3
- left exact* in 21.1
- left multiplicative system* in 24.1
- Leibniz rule* in 123.1
- Leibniz rule* in 29.1
- Leibniz rule* in 33.1
- length* in 7.1
- length* in 49.1
- length* in 8.1
- lies over* in 29.1
- lift of x along f* in 16.1
- lift* in 29.2
- lift* in 29.2
- limit preserving* in 3.1
- limit* in 13.1
- limit* in 14.2
- limp* in 13.4
- linearly adequate* in 3.2
- linearly topologized* in 27.1
- linearly topologized* in 27.1
- lisse-étale site* in 11.1
- lisse* in 80.1
- local complete intersection morphism* in 39.2
- local complete intersection morphism* in 24.1
- local complete intersection over k* in 125.1
- local complete intersection over k* in 31.1

- local complete intersection* in 24.2
- local homomorphism of local rings* in 17.1
- local in the τ -topology* in 11.1
- local Lefschetz number* in 76.2
- local on the base for the τ -topology* in 18.1
- local on the base for the τ -topology* in 9.1
- local on the source for the τ -topology* in 22.1
- local on the source for the τ -topology* in 12.1
- local ring map $\varphi : R \rightarrow S$* in 17.1
- local ring of X at x* in 2.1
- local ring of the fibre at \mathfrak{q}* in 104.5
- local ring* in 17.1
- localization morphism* in 21.1
- localization morphism* in 26.4
- localization morphism* in 19.1
- localization morphism* in 21.2
- localization of A with respect to S* in 9.2
- localization of the ringed site $(\mathcal{C}, \mathcal{O})$ at the object U* in 19.1
- localization of the ringed topos $(Sh(\mathcal{C}), \mathcal{O})$ at \mathcal{F}* in 21.2
- localization of the site \mathcal{C} at the object U* in 21.1
- localization of the topos $Sh(\mathcal{C})$ at \mathcal{F}* in 26.4
- localization* in 9.6
- locally P* in 4.2
- locally algebraic k -scheme* in 13.1
- locally closed immersion* in 10.2
- locally closed subspace* in 12.1
- locally closed substack* in 9.8
- locally connected* in 4.7
- locally construcible* in 10.1
- locally finite* in 18.1
- locally finite* in 8.1
- locally finite* in 19.2
- locally free* in 73.1
- locally free* in 14.1
- locally free* in 23.1
- locally generated by sections* in 8.1
- locally generated by sections* in 23.1
- locally nilpotent* in 48.2
- locally Noetherian* in 6.1
- locally Noetherian* in 5.1
- locally Noetherian* in 29.5
- locally of finite presentation over S* in 3.1
- locally of finite presentation* in 21.1
- locally of finite presentation* in 26.1
- locally of finite presentation* in 3.1
- locally of finite presentation* in 3.1
- locally of finite presentation* in 18.1
- locally of finite type* in 15.1
- locally of finite type* in 22.1
- locally of finite type* in 13.1
- locally of type P* in 14.2
- locally principal closed subscheme* in 9.1
- locally projective* in 19.1
- locally projective* in 42.1
- locally projective* in 29.2
- locally quasi-coherent* in 15.1
- locally quasi-coherent* in 11.4
- locally quasi-compact* in 18.1
- locally quasi-finite* in 20.1
- locally quasi-finite* in 25.1
- locally quasi-finite* in 16.2
- locally quasi-projective* in 40.1
- locally ringed site* in 34.4
- locally ringed space (X, \mathcal{O}_X)* in 2.1
- locally ringed* in 34.6
- locally separated over S* in 13.2
- locally separated* in 3.1
- locally separated* in 3.1
- locally separated* in 5.2
- locally trivial* in 9.3
- locally trivial* in 9.3
- local* in 4.1
- local* in 14.1
- maximal Cohen-Macaulay* in 97.9
- meromorphic function* in 15.1
- meromorphic section of \mathcal{F}* in 15.5
- minimal* in 13.4
- minimal* in 25.1
- miniversal* in 13.4
- Mittag-Leffler condition* in 23.2
- Mittag-Leffler directed system of modules* in 83.1
- Mittag-Leffler inverse system* in 81.1
- Mittag-Leffler* in 83.6
- ML* in 23.2
- module of differentials* in 123.2
- module of differentials* in 29.3
- module of Kähler differentials* in 123.2
- module-valued functor* in 3.1

- monomorphism* in 23.1
monomorphism in 23.1
monomorphism in 14.1
monomorphism in 8.1
morphism $(A, F) \rightarrow (B, F)$ of filtered objects in 13.1
morphism $(A, k) \rightarrow (B, k)$ of graded objects in 13.12
morphism $(N, \varphi) \rightarrow (N', \varphi')$ of descent data in 3.1
morphism $(U, R, s, t, c) \rightarrow (U', R', s', t', c')$ of groupoids in functors on \mathcal{C} in 19.1
morphism $\psi : (\mathcal{F}_i, \varphi_{ij}) \rightarrow (\mathcal{F}'_i, \varphi'_{ij})$ of descent data in 2.1
morphism $\psi : (\mathcal{F}_i, \varphi_{ij}) \rightarrow (\mathcal{F}'_i, \varphi'_{ij})$ of descent data in 3.1
morphism $\psi : (G, m) \rightarrow (G', m')$ of group algebraic spaces over B in 5.1
morphism $\psi : (G, m) \rightarrow (G', m')$ of group schemes over S in 4.1
morphism $\psi : (V_i, \varphi_{ij}) \rightarrow (V'_i, \varphi'_{ij})$ of descent data in 30.3
morphism $\psi : (X_i, \varphi_{ij}) \rightarrow (X'_i, \varphi'_{ij})$ of descent data in 3.1
morphism $\varphi : \mathcal{F} \rightarrow \mathcal{G}$ of presheaves of \mathcal{O} -modules on \mathcal{B} in 30.11
morphism $\varphi : \mathcal{F} \rightarrow \mathcal{G}$ of presheaves of \mathcal{O} -modules in 6.1
morphism $\varphi : \mathcal{F} \rightarrow \mathcal{G}$ of presheaves of \mathcal{O} -modules in 9.1
morphism $\varphi : \mathcal{F} \rightarrow \mathcal{G}$ of presheaves of sets on \mathcal{B} in 30.1
morphism $\varphi : \mathcal{F} \rightarrow \mathcal{G}$ of presheaves of sets on X in 3.1
morphism $\varphi : \mathcal{F} \rightarrow \mathcal{G}$ of presheaves with value in \mathcal{C} in 5.1
morphism $\varphi : \mathcal{F} \rightarrow \mathcal{G}$ of presheaves with values in \mathcal{C} on \mathcal{B} in 30.8
morphism $a : \xi \rightarrow \eta$ of formal objects in 7.1
morphism $f : (U, R, s, t, c) \rightarrow (U', R', s', t', c')$ of groupoid schemes over S in 11.1
morphism $f : (U, R, s, t, c) \rightarrow (U', R', s', t', c')$ of groupoids in algebraic spaces over B in 11.1
morphism $f : (V/X, \varphi) \rightarrow (V'/X, \varphi')$ of descent data relative to $X \rightarrow S$ in 30.1
morphism $f : F \rightarrow F'$ of algebraic spaces over S in 6.3
morphism $f : p \rightarrow p'$ in 33.2
morphism $f : X \rightarrow Y$ of schemes over S in 18.1
morphism from \mathcal{U} to \mathcal{V} in 8.1
morphism of δ -functors from F to G in 9.2
morphism of \mathcal{G} -torsors in 5.1
morphism of G -modules in 57.1
morphism of G -sets in 55.1
morphism of G -torsors in 5.1
morphism of n -truncated simplicial objects in 17.1
morphism of étale neighborhoods in 29.1
morphism of étale neighborhoods in 17.2
morphism of étale neighbourhoods in 26.1
morphism of abelian presheaves over X in 4.4
morphism of affine schemes in 5.5
morphism of cones in 7.2
morphism of cosimplicial objects $U \rightarrow U'$ in 5.1
morphism of differential objects in 16.1
morphism of divided power schemes in 11.2
morphism of divided power thickenings of X relative to (S, \mathcal{I}, γ) in 12.1
morphism of exact couples in 15.1
morphism of families of maps with fixed target of \mathcal{C} from \mathcal{U} to \mathcal{V} in 8.1
morphism of functors in 2.15
morphism of germs in 16.1
morphism of lifts in 16.1
morphism of locally ringed sites in 34.8
morphism of locally ringed spaces in 2.1
morphism of locally ringed topoi in 34.8
morphism of module-valued functors in 3.1
morphism of predeformation categories in 6.2
morphism of presheaves on \mathcal{X} in 3.1
morphism of pseudo \mathcal{G} -torsors in 5.1
morphism of ringed sites in 6.1
morphism of ringed spaces in 25.1
morphism of ringed topoi in 7.1
morphism of schemes in 9.1

- morphism of sheaves of \mathcal{O} -modules* in 10.1
- morphism of sheaves of \mathcal{O} -modules* in 10.1
- morphism of sheaves of sets on \mathcal{B}* in 30.2
- morphism of sheaves of sets* in 7.1
- morphism of simplicial objects $U \rightarrow U'$* in 3.1
- morphism of sites* in 14.1
- morphism of spectral sequences* in 14.1
- morphism of thickenings* in 2.1
- morphism of thickenings* in 7.1
- morphism of topoi* in 15.1
- morphism of triangles* in 3.1
- morphism of vector bundles over S* in 6.2
- Morphisms of presheaves* in 2.1
- morphisms of thickenings over B* in 7.1
- morphisms of thickenings over S* in 2.1
- morphisms of type \mathcal{P} satisfy descent for τ -coverings* in 32.1
- morphism* in 2.2
- morphism* in 80.1
- multiplicative subset of R* in 9.1
- multiplicative system* in 24.1
- multiplicity of Z' in \mathcal{F}* in 10.2
- multiplicity of Z' in Z* in 9.2
- multiplicity* in 3.2
- $N-1$* in 145.1
- $N-2$* in 145.1
- Nagata ring* in 145.15
- Nagata* in 13.1
- naive cotangent complex* in 124.1
- natural transformation* in 2.15
- nilpotent* in 48.2
- Noetherian* in 6.1
- Noetherian* in 5.1
- Noetherian* in 13.1
- Noetherian* in 8.1
- Noetherian* in 5.16
- Noetherian* in 29.5
- nondegenerate* in 31.2
- nonsingular* in 9.1
- nontrivial solution* in 59.8
- normal at x* in 14.1
- normal bundle* in 11.5
- normal cone $C_Z X$* in 11.5
- normal morphism* in 14.1
- normalization of X in Y* in 47.3
- normalization* in 47.12
- normalized* in 25.1
- normal* in 34.1
- normal* in 34.10
- normal* in 39.1
- normal* in 7.1
- nowhere dense* in 17.1
- numerical polynomial* in 56.2
- numerical polynomial* in 19.1
- of finite presentation* in 23.1
- of finite presentation* in 26.1
- of finite presentation* in 18.1
- of finite type* in 23.1
- of finite type* in 22.1
- of finite type* in 13.1
- Oka family* in 26.2
- one step dévissage of $\mathcal{F}/X/S$ at x* in 5.2
- one step dévissage of $\mathcal{F}/X/S$ over s* in 5.1
- open immersion* in 3.1
- open immersion* in 10.2
- open immersion* in 12.1
- open immersion* in 9.1
- open subgroup scheme* in 4.3
- open subscheme* in 10.2
- open subspace of (X, \mathcal{O}) associated to U* in 31.2
- open subspace of X associated to U* in 3.3
- open subspace* in 12.1
- open substack* in 9.8
- open* in 23.1
- open* in 89.1
- open* in 7.2
- open* in 9.2
- opposite algebra* in 2.5
- opposite category* in 3.1
- orbit space for R* in 5.18
- orbit* in 5.1
- orbit* in 5.4
- order of vanishing along R* in 113.2
- order of vanishing of f along Z* in 16.1
- order of vanishing of s along Z* in 23.1
- ordered Čech complex* in 17.2
- p -basis of K over k* in 35.1
- p -independent over k* in 35.1
- parasitic for the τ -topology* in 7.1
- parasitic* in 7.1

- parasitic* in 8.1
- partially ordered set* in 8.1
- perfect at x* in 23.1
- perfect closure* in 43.5
- perfect complexes* in 75.4
- perfect ring map* in 47.1
- perfect* in 43.1
- perfect* in 43.1
- perfect* in 43.1
- perfect* in 38.2
- perfect* in 73.1
- perfect* in 23.1
- Picard group of A* in 15.3
- Picard group of X* in 32.7
- Picard group* in 21.6
- Picard group* in 28.4
- PID* in 112.6
- point p of the site \mathcal{C}* in 28.2
- point p* in 45.1
- point of the topos $\text{Sh}(\mathcal{C})$* in 28.1
- point* in 4.1
- point* in 4.2
- polynomial relation among the chern classes* in 36.1
- pre-adic* in 27.1
- pre-admissible* in 27.1
- pre-equivalence relation* in 3.1
- pre-equivalence relation* in 4.1
- pre-relation* in 3.1
- pre-relation* in 4.1
- pre-triangulated category* in 3.2
- pre-triangulated subcategory* in 3.4
- preadditive* in 3.1
- predeformation category* in 6.2
- presentation of \mathcal{F} by (U, R, s, t, c)* in 23.1
- presentation* in 9.3
- presentation* in 16.5
- preserved under arbitrary base change* in 18.3
- preserved under arbitrary base change* in 18.3
- preserved under base change* in 18.3
- preserved under base change* in 18.3
- presheaf \mathcal{F} of sets on \mathcal{B}* in 30.1
- presheaf \mathcal{F} of sets on X* in 3.1
- presheaf \mathcal{F} on X with values in \mathcal{C}* in 5.1
- presheaf \mathcal{F} with values in \mathcal{C} on \mathcal{B}* in 30.8
- presheaf of \mathcal{O} -modules \mathcal{F} on \mathcal{B}* in 30.11
- presheaf of \mathcal{O} -modules* in 6.1
- presheaf of \mathcal{O} -modules* in 9.1
- presheaf of abelian groups on X* in 4.4
- presheaf of isomorphisms from x to y* in 2.2
- presheaf of modules on \mathcal{X}* in 7.1
- presheaf of morphisms from x to y* in 2.2
- presheaf of sets on \mathcal{C}* in 3.3
- presheaf of sets* in 2.1
- presheaf of sets* in 9.1
- presheaf on \mathcal{X}* in 3.1
- presheaf* in 3.3
- presheaf* in 2.2
- prime divisor* in 34.1
- prime* in 112.1
- principal divisor associated to f* in 17.1
- principal homogeneous G -space over B* in 9.3
- principal homogeneous space* in 9.3
- principal homogeneous space* in 9.3
- principal ideal domain* in 112.6
- product $U \times V$ exists* in 12.1
- product $U \times V$ of U and V* in 12.1
- product category* in 2.20
- product of U and V* in 6.1
- product of U and V* in 9.1
- product* in 4.1
- product* in 13.5
- projective n -space over \mathbf{Z}* in 13.2
- projective n -space over R* in 13.2
- projective n -space over S* in 13.2
- projective bundle associated to \mathcal{E}* in 20.1
- projective dimension* in 102.2
- projective resolution of A* in 18.1
- projective resolution of K^\bullet* in 18.1
- projective system over I in \mathcal{C}* in 19.1
- projective variety* in 16.1
- projective* in 72.1
- projective* in 21.1
- projective* in 42.1
- projective* in 70.1
- proper variety* in 16.1
- property \mathcal{P}* in 5.1
- property \mathcal{P}* in 4.1
- property \mathcal{P}* in 10.1
- proper* in 12.2
- proper* in 41.1
- proper* in 36.1

- prorepresentable* in 6.1
- prorepresentable* in 20.1
- pseudo \mathcal{G} -torsor* in 5.1
- pseudo G -torsor* in 9.1
- pseudo G -torsor* in 9.1
- pseudo functor* in 26.5
- pseudo torsor* in 5.1
- pseudo-coherent at x* in 22.1
- pseudo-coherent relative to R* in 46.4
- pseudo-coherent relative to R* in 46.4
- pseudo-coherent ring map* in 47.1
- pseudo-coherent* in 41.1
- pseudo-coherent* in 41.1
- pseudo-coherent* in 37.2
- pseudo-coherent* in 22.1
- pullbacks of meromorphic functions are defined for f* in 15.3
- pullback $x^{-1}\mathcal{F}$ of \mathcal{F}* in 9.2
- pullback functor* in 30.5
- pullback functor* in 30.7
- pullback functor* in 30.9
- pullback functor* in 3.4
- pullback of \mathcal{S} along f* in 12.9
- pullback of D by f is defined* in 9.8
- pullback of S by f* in 40.4
- pullback of the effective Cartier divisor* in 9.8
- pullback* in 26.1
- pullback* in 13.1
- pullback* in 3.3
- pullback* in 36.1
- pullback* in 4.3
- pullback* in 3.4
- pure along X_s* in 16.1
- pure along X_s* in 16.1
- pure extension module* in 8.8
- pure injective resolution* in 8.5
- pure injective* in 8.1
- pure projective resolution* in 8.5
- pure projective* in 8.1
- pure relative to S* in 16.1
- pure relative to S* in 16.1
- purely inseparable* in 39.1
- purely transcendental extension* in 38.1
- pure* in 101.1
- pushforward of \mathcal{S} along f* in 12.4
- pushforward* in 26.1
- pushforward* in 38.1
- pushforward* in 13.1
- pushforward* in 12.1
- pushforward* in 35.1
- pushforward* in 35.3
- pushout of V and W over U* in 8.1
- pushout* in 9.1
- quasi-affine* in 15.1
- quasi-affine* in 13.1
- quasi-affine* in 20.2
- quasi-coherent \mathcal{O}_X -module* in 11.1
- quasi-coherent module on (U, R, s, t, c)* in 12.1
- quasi-coherent module on (U, R, s, t, c)* in 12.1
- quasi-coherent module on \mathcal{X}* in 11.1
- quasi-coherent sheaf of \mathcal{O}_X -modules* in 10.1
- quasi-coherent* in 23.1
- quasi-coherent* in 17.2
- quasi-coherent* in 15.1
- quasi-coherent* in 27.1
- quasi-coherent* in 29.1
- quasi-compact* in 9.1
- quasi-compact* in 9.1
- quasi-compact* in 19.1
- quasi-compact* in 5.1
- quasi-compact* in 9.2
- quasi-compact* in 6.1
- quasi-compact* in 7.2
- quasi-compact* in 5.4
- quasi-DM over S* in 4.2
- quasi-DM* in 4.1
- quasi-DM* in 4.2
- quasi-excellent* in 40.1
- quasi-finite at \mathfrak{q}* in 114.3
- quasi-finite at x* in 25.1
- quasi-finite at a point $x \in X$* in 20.1
- quasi-finite* in 114.3
- quasi-finite* in 20.1
- quasi-finite* in 25.1
- quasi-inverse* in 2.17
- quasi-isomorphism* in 10.4
- quasi-isomorphism* in 10.10
- quasi-isotrivial* in 9.3
- quasi-isotrivial* in 9.3
- quasi-projective variety* in 16.1
- quasi-projective* in 40.1
- quasi-proper* in 12.2

- quasi-regular ideal* in 23.1
- quasi-regular immersion* in 13.1
- quasi-regular immersion* in 21.2
- quasi-regular sequence* in 67.1
- quasi-regular* in 12.2
- quasi-separated over S* in 13.2
- quasi-separated over S* in 4.2
- quasi-separated* in 21.3
- quasi-separated* in 21.3
- quasi-separated* in 3.1
- quasi-separated* in 3.1
- quasi-separated* in 5.2
- quasi-separated* in 4.1
- quasi-separated* in 4.2
- quasi-split over u* in 11.1
- quasi-splitting of R over u* in 11.1
- quotient category \mathcal{D}/\mathcal{B}* in 6.7
- quotient category cofibered in groupoids*
- $[U/R] \rightarrow \mathcal{C}$ in 19.9
- quotient filtration* in 13.1
- quotient functor* in 6.7
- quotient morphism $U \rightarrow [U/R]$* in 19.9
- quotient of U by G* in 14.4
- quotient representable by an algebraic space* in 18.3
- quotient representable by an algebraic space* in 18.3
- quotient sheaf U/R* in 17.1
- quotient sheaf U/R* in 18.1
- quotient stack* in 19.1
- quotient stack* in 19.1
- quotient* in 3.14
- radicial* in 11.1
- radicial* in 3.1
- rank r* in 28.1
- rank* in 95.4
- rank* in 45.1
- rank* in 38.2
- rational function on X* in 9.2
- rational map from X to Y* in 9.1
- rationally equivalent to zero* in 19.1
- rationally equivalent* in 19.1
- reasonable* in 6.1
- reasonable* in 13.1
- reduced induced algebraic space structure* in 9.3
- reduced induced algebraic stack structure* in 10.4
- reduced induced scheme structure* in 12.5
- reduced* in 12.1
- reduction \mathcal{X}_{red} of \mathcal{X}* in 10.4
- reduction X_{red} of X* in 12.5
- reduction X_{red} of X* in 9.3
- Rees algebra* in 55.1
- refinement* in 8.1
- regular at x* in 15.1
- regular ideal* in 23.1
- regular immersion* in 13.1
- regular in codimension $\leq k$* in 141.1
- regular in codimension k* in 12.1
- regular local ring* in 58.9
- regular locus* in 14.1
- regular morphism* in 15.1
- regular section* in 9.13
- regular sequence* in 66.1
- regular system of parameters* in 58.9
- regular* in 103.6
- regular* in 31.1
- regular* in 9.1
- regular* in 12.2
- regular* in 15.10
- relation* in 8.12
- relation* in 3.1
- relation* in 4.1
- relative H_1 -regular immersion* in 14.2
- relative assassin of \mathcal{F} in X over S* in 7.1
- relative assassin of N over S/R* in 63.2
- relative cotangent space* in 3.6
- relative dimension $\leq d$ at x* in 29.1
- relative dimension $\leq d$* in 29.1
- relative dimension $\leq d$* in 30.2
- relative dimension d* in 29.1
- relative dimension d* in 30.2
- relative dimension of S/R at \mathfrak{q}* in 117.1
- relative dimension of* in 117.1
- relative effective Cartier divisor* in 10.2
- relative global complete intersection* in 126.5
- relative homogeneous spectrum of \mathcal{A} over S* in 16.7
- relative inertia of \mathcal{S} over \mathcal{S}'* in 31.2
- relative Proj of \mathcal{A} over S* in 16.7
- relative quasi-regular immersion* in 14.2
- relative spectrum of \mathcal{A} over S* in 4.5
- relative weak assassin of \mathcal{F} in X over S* in 8.1

- relatively ample* in 37.1
- relatively limit preserving* in 3.1
- relatively very ample* in 38.1
- representable by a scheme* in 15.1
- representable by algebraic spaces* in 3.1
- representable by algebraic spaces* in 9.1
- representable by an algebraic space over S* in 8.1
- representable by open immersions* in 15.3
- representable quotient* in 17.2
- representable quotient* in 17.2
- representable quotient* in 18.3
- representable quotient* in 18.3
- representable sheaf* in 12.3
- representable* in 3.6
- representable* in 6.3
- representable* in 8.2
- representable* in 37.1
- representable* in 38.5
- representable* in 15.1
- representable* in 19.4
- residual gerbe of \mathcal{X} at x exists* in 11.8
- residual gerbe of \mathcal{X} at x* in 11.8
- residual space of X at x* in 10.6
- residue field of X at x* in 2.1
- resolution functor* in 22.2
- resolution of M by finite free R -modules* in 68.2
- resolution of M by free R -modules* in 68.2
- resolution* in 68.2
- restriction $(U, R, s, t, c)|_{\mathcal{C}'}$ of (U, R, s, t, c) to \mathcal{C}'* in 19.7
- restriction of (U, R, s, t, c) to U'* in 15.2
- restriction of (U, R, s, t, c) to U'* in 16.2
- restriction of \mathcal{F} to \mathcal{C}/U* in 21.1
- restriction of \mathcal{F} to \mathcal{C}/U* in 19.1
- restriction of \mathcal{F} to $U_{\text{étale}}$* in 9.2
- restriction of \mathcal{G} to U* in 31.2
- restriction of \mathcal{G} to U* in 31.2
- restriction of \mathcal{G} to U* in 31.2
- restriction to the small étale site* in 4.14
- restriction to the small Zariski site* in 3.14
- restriction* in 3.3
- restriction* in 64.3
- restriction* in 4.3
- retrocompact* in 9.1
- right acyclic for F* in 15.3
- right adjoint* in 22.1
- right deriveable* in 14.9
- right derived functor RF is defined at in* 14.2
- right derived functors of F* in 15.3
- right exact* in 21.1
- right multiplicative system* in 24.1
- ring of rational functions on X* in 9.3
- ringed site* in 6.1
- ringed site* in 17.2
- ringed space* in 25.1
- ringed topos* in 7.1
- satisfies the existence part of the valuative criterion* in 20.3
- satisfies the existence part of the valuative criterion* in 11.1
- satisfies the sheaf property for the fpqc topology* in 8.12
- satisfies the sheaf property for the fpqc topology* in 15.5
- satisfies the sheaf property for the given family* in 8.12
- satisfies the sheaf property for the Zariski topology* in 15.3
- satisfies the uniqueness part of the valuative criterion* in 20.3
- satisfies the uniqueness part of the valuative criterion* in 11.1
- satisfies the valuative criterion* in 11.1
- saturated* in 24.17
- saturated* in 6.1
- scheme over R* in 18.1
- scheme over S* in 18.1
- scheme structure on Z* in 12.5
- scheme theoretic closure of U in X* in 6.1
- scheme theoretic fibre X_s of f over s* in 18.4
- scheme theoretic image* in 5.2
- scheme theoretic support of \mathcal{F}* in 10.5
- scheme theoretically dense in X* in 6.1
- scheme* in 9.1
- semi-representable objects* in 2.1
- separable degree* in 39.3
- separable over k* in 40.1
- separable* in 39.1
- separably generated over k* in 40.1
- separated group scheme* in 4.4

- separated over S* in 13.2
- separated over S* in 4.2
- separated presheaf* in 11.1
- separated* in 11.2
- separated* in 10.9
- separated* in 42.2
- separated* in 13.1
- separated* in 21.3
- separated* in 21.3
- separated* in 3.1
- separated* in 3.1
- separated* in 5.2
- separated* in 4.1
- separated* in 4.2
- separates R -orbits* in 5.8
- separates orbits* in 5.8
- Serre subcategory* in 7.1
- set-theoretic equivalence relation* in 5.13
- set-theoretic pre-equivalence relation* in 5.13
- set-theoretically R -invariant* in 5.8
- setoid* in 36.1
- sheaf \mathcal{F} of \mathcal{O} -modules on \mathcal{B}* in 30.11
- sheaf \mathcal{F} of sets on \mathcal{B}* in 30.2
- sheaf \mathcal{F} of sets on X* in 7.1
- sheaf \mathcal{F} with values in \mathcal{C} on \mathcal{B}* in 30.8
- sheaf associated to \mathcal{F}* in 10.11
- sheaf associated to \mathcal{F}* in 42.4
- sheaf associated to the module M and the ring map α* in 10.6
- sheaf associated to the module M* in 10.6
- sheaf for the étale topology* in 4.3
- sheaf for the fppf topology* in 4.3
- sheaf for the smooth topology* in 4.3
- sheaf for the syntomic topology* in 4.3
- sheaf for the Zariski topology* in 4.3
- sheaf of \mathcal{O} -modules associated to \mathcal{F}* in 6.2
- sheaf of \mathcal{O} -modules associated to \mathcal{F}* in 6.2
- sheaf of \mathcal{O} -modules* in 10.1
- sheaf of \mathcal{O} -modules* in 10.1
- sheaf of $\mathcal{O}_{\mathcal{X}}$ -modules* in 7.1
- sheaf of R -invariant functions on X* in 8.1
- sheaf of abelian groups on X* in 8.1
- sheaf of automorphisms of x* in 5.3
- sheaf of differentials $\Omega_{X/S}$ of X over S* in 33.4
- sheaf of differentials $\Omega_{X/Y}$ of X over Y* in 29.6
- sheaf of differentials $\Omega_{X/Y}$ of X over Y* in 5.2
- sheaf of meromorphic functions on X* in 15.1
- sheaf of total quotient rings \mathcal{K}_S* in 34.1
- sheaf theoretically empty* in 37.1
- sheaf* in 9.1
- sheaf* in 7.1
- sheaf* in 7.6
- sheaf* in 40.10
- sheaf* in 11.1
- sheaf* in 4.3
- short exact sequence* in 3.18
- sieve on U generated by the morphisms f_i* in 40.3
- sieve S on U* in 40.1
- similar* in 59.3
- simple* in 49.9
- simple* in 2.3
- simple* in 2.3
- simplicial abelian group* in 3.1
- simplicial object U of \mathcal{C}* in 3.1
- simplicial scheme associated to f* in 36.2
- simplicial set* in 3.1
- singular ideal of A over R* in 3.1
- singular locus* in 14.1
- site* in 6.2
- site* in 10.2
- size* in 15.1
- skew field* in 2.2
- skyscraper sheaf at x with value A* in 27.1
- skyscraper sheaf* in 27.1
- skyscraper sheaf* in 27.1
- skyscraper sheaf* in 27.1
- skyscraper sheaf* in 27.1
- skyscraper sheaf* in 27.1
- skyscraper sheaf* in 28.6
- small τ -site of S* in 20.4
- small étale site $X_{\text{étale}}$* in 16.1
- small étale site of S* in 4.8
- small étale site over S* in 27.3
- small étale topos* in 21.1
- small étale topos* in 16.6
- small extension* in 131.1
- small extension* in 3.2
- small Zariski site F_{Zar}* in 12.6
- small Zariski site of S* in 3.7

- small Zariski sites* in 27.3
- small Zariski topos* in 21.1
- smooth at \mathfrak{q}* in 127.11
- smooth at $x \in X$* in 34.1
- smooth at x* in 33.1
- smooth covering of T* in 5.1
- smooth covering of X* in 6.1
- smooth group scheme* in 4.4
- smooth groupoid* in 16.4
- smooth local on source-and-target* in 18.1
- smooth local* in 17.1
- smooth of relative dimension d* in 34.13
- smooth sheaf* in 4.3
- smooth* in 127.1
- smooth* in 34.1
- smooth* in 16.2
- smooth* in 33.1
- smooth* in 8.1
- smooth* in 21.1
- smooth* in 22.1
- smooth* in 4.3
- sober* in 5.4
- special cocontinuous functor u from \mathcal{C} to \mathcal{D}* in 25.2
- specializations lift along f* in 14.3
- specialization* in 14.1
- specialization* in 5.22
- specialization* in 29.2
- specializing* in 14.3
- spectral sequence associated to (A, d, α)* in 16.5
- spectral sequence associated to the exact couple* in 15.3
- spectral sequence in \mathcal{A}* in 14.1
- spectrum of \mathcal{A} over S* in 4.5
- spectrum* in 16.1
- spectrum* in 5.3
- split category fibred in groupoids* in 34.2
- split fibred category* in 33.2
- split over u* in 11.1
- splits* in 8.1
- splitting field* in 8.1
- splitting of R over u* in 11.1
- split* in 3.20
- split* in 16.1
- stabilizer of the groupoid in algebraic spaces (U, R, s, t, c)* in 15.2
- stabilizer of the groupoid scheme (U, R, s, t, c)* in 14.2
- stable under base change* in 14.1
- stable under composition* in 14.1
- stable under generalization* in 14.1
- stable under specialization* in 14.1
- stack in discrete categories* in 6.1
- stack in groupoids* in 5.1
- stack in setoids* in 6.1
- stack in sets* in 6.1
- stack* in 4.1
- stalk* in 29.6
- stalk* in 80.6
- stalk* in 17.6
- standard τ -covering* in 20.2
- standard étale covering* in 4.5
- standard étale* in 133.13
- standard étale* in 36.1
- standard étale* in 26.3
- standard fppf covering* in 7.5
- standard fpqc covering* in 8.9
- standard open covering* in 5.2
- standard open covering* in 5.2
- standard open covering* in 8.2
- standard opens* in 16.3
- standard shrinking* in 5.6
- standard shrinking* in 6.5
- standard smooth algebra over R* in 127.6
- standard smooth covering* in 5.5
- standard smooth* in 34.1
- standard syntomic covering* in 6.5
- standard syntomic* in 31.1
- standard Zariski covering* in 3.4
- strict henselization of $\mathcal{O}_{S,s}$* in 33.2
- strict henselization of R with respect to $\kappa \subset \kappa^{sep}$* in 140.14
- strict henselization of S at \bar{s}* in 33.2
- strict henselization of X at \bar{x}* in 20.2
- strict henselization* in 140.14
- strict transform of M along $R \rightarrow R'$* in 19.1
- strictly commutative* in 25.3
- strictly full* in 2.10
- strictly henselian* in 140.1
- strictly henselian* in 32.6
- strictly standard in A over R* in 3.3
- strict* in 13.3
- strongly \mathcal{C} -cartesian morphism* in 30.1

- strongly cartesian morphism* in 30.1
- strongly transcendental over R* in 115.8
- structure morphism* in 18.1
- structure of site on \mathcal{S} inherited from \mathcal{C}* in 10.2
- structure sheaf $\mathcal{O}_{\text{Spec}(R)}$ of the spectrum of R* in 5.3
- structure sheaf $\mathcal{O}_{\text{Proj}(S)}$ of the homogeneous spectrum of S* in 8.3
- structure sheaf of \mathcal{X}* in 6.1
- structure sheaf of the big site $(\text{Sch}/S)_\tau$* in 6.2
- structure sheaf* in 6.1
- structure sheaf* in 7.1
- structure sheaf* in 23.3
- structure sheaf* in 19.2
- sub 2-category* in 26.2
- subcanonical* in 12.2
- subcategory* in 2.10
- subfunctor $H \subset F$* in 15.3
- submersive* in 15.1
- submersive* in 24.1
- submersive* in 8.1
- submersive* in 10.1
- subobject* in 3.14
- subpresheaf* in 16.2
- subpresheaf* in 3.3
- subsheaf generated by the s_i* in 4.5
- subsheaf of sections annihilated by \mathcal{I}* in 22.4
- subsheaf* in 16.2
- sum of the effective Cartier divisors D_1 and D_2* in 9.4
- sum of the effective Cartier divisors* in 27.5
- support of \mathcal{F}* in 5.1
- support of \mathcal{F}* in 31.3
- support of \mathcal{F}* in 18.3
- support of σ* in 31.3
- support of σ* in 18.3
- support of M* in 60.2
- support of s* in 5.1
- surjective* in 16.2
- surjective* in 16.2
- surjective* in 3.1
- surjective* in 11.1
- surjective* in 3.14
- surjective* in 10.1
- surjective* in 6.2
- surjective* in 5.1
- symbol associated to M, a, b* in 4.3
- symbolic power* in 62.1
- symbol* in 2.1
- syntomic at $x \in X$* in 31.1
- syntomic at x* in 32.1
- syntomic covering of T* in 6.1
- syntomic covering of X* in 5.1
- syntomic of relative dimension d* in 31.15
- syntomic sheaf* in 4.3
- syntomic* in 126.1
- syntomic* in 31.1
- syntomic* in 32.1
- system (M_i, μ_{ij}) of R -modules over I* in 8.2
- system of parameters of R* in 58.9
- system of rings* in 2.1
- system over I in \mathcal{C}* in 19.1
- tame symbol* in 4.5
- tangent space $T\mathcal{F}$ of \mathcal{F}* in 11.1
- tangent space TF of F* in 10.9
- tangent space of X over S* in 28.3
- tangent vector* in 28.3
- tautologically equivalent* in 8.2
- tensor power of \mathcal{L}* in 21.3
- tensor product differential graded algebra* in 25.4
- termwise split injection $\alpha : A^\bullet \rightarrow B^\bullet$* in 8.3
- termwise split sequence of complexes of \mathcal{A}* in 8.8
- termwise split surjection $\beta : B^\bullet \rightarrow C^\bullet$* in 8.3
- the fibre of X over z is flat at x over the fibre of Y over z* in 18.2
- the fibre of X over z is flat over the fibre of Y over z* in 18.2
- the functions on X are the R -invariant functions on U* in 8.1
- the restriction of \mathcal{F} to its fibre over z is flat at x over the fibre of Y over z* in 18.2
- thickenings over B* in 7.1
- thickenings over S* in 2.1
- thickening* in 2.1
- thickening* in 7.1
- topological module* in 27.1
- topological ring* in 27.1

- topological space* in 4.7
- topological space* in 4.8
- topology associated to \mathcal{C}* in 41.2
- topology on \mathcal{C}* in 40.6
- topos* in 15.1
- tor dimension $\leq d$* in 42.1
- Tor independent over R* in 5.1
- tor-amplitude in $[a, b]$* in 42.1
- torsion free* in 17.1
- torsion* in 17.1
- torsion* in 80.6
- torsor* in 5.1
- torsor* in 5.1
- total chern class of \mathcal{E} on X* in 34.1
- total right derived functor of F* in 69.4
- total right derived functor of G* in 69.4
- totally disconnected* in 4.6
- trace* in 64.3
- trace* in 67.1
- transcendence basis* in 38.1
- transcendence degree of $x/f(x)$* in 30.1
- transcendence degree* in 38.3
- transition maps* in 19.1
- triangle associated to the termwise split sequence of complexes* in 8.8
- triangle* in 3.1
- triangulated category* in 3.2
- triangulated functor* in 3.3
- triangulated subcategory* in 3.4
- trivial \mathcal{G} -torsor* in 5.1
- trivial \mathcal{G} -torsor* in 5.1
- trivial descent datum* in 2.3
- trivial descent datum* in 30.10
- trivial descent datum* in 3.3
- trivial descent datum* in 3.5
- trivial* in 21.1
- trivial* in 9.1
- trivial* in 9.1
- trivial* in 32.4
- twist of the structure sheaf of $\text{Proj}(S)$* in 10.1
- twist of the structure sheaf* in 20.1
- type of algebraic structure* in 15.1
- UFD* in 112.4
- underlying presheaf of sets of \mathcal{F}* in 5.2
- uniform categorical quotient* in 4.4
- uniformly* in 7.1
- unique factorization domain* in 112.4
- universal δ -functor* in 9.3
- universal φ -derivation* in 29.3
- universal S -derivation* in 33.4
- universal Y -derivation* in 29.6
- universal Y -derivation* in 5.2
- universal categorical quotient* in 4.4
- universal effective epimorphism* in 12.1
- universal first order thickening* in 137.2
- universal first order thickening* in 5.2
- universal first order thickening* in 11.5
- universal flattening of \mathcal{F} exists* in 21.1
- universal flattening of X exists* in 21.1
- universal homeomorphism* in 44.1
- universal homeomorphism* in 41.2
- universally S -pure* in 16.1
- universally catenary* in 98.5
- universally catenary* in 17.1
- universally closed* in 12.2
- universally closed* in 20.1
- universally closed* in 10.2
- universally closed* in 11.2
- universally exact* in 77.1
- universally injective* in 77.1
- universally injective* in 11.1
- universally injective* in 18.3
- universally Japanese* in 145.15
- universally Japanese* in 13.1
- universally open* in 23.1
- universally open* in 7.2
- universally open* in 9.2
- universally pure along X_s* in 16.1
- universally pure relative to S* in 16.1
- universally submersive* in 24.1
- universally submersive* in 8.1
- universally submersive* in 10.1
- universally* in 7.1
- unramified at \mathfrak{q}* in 139.1
- unramified at $x \in X$* in 35.1
- unramified at x* in 3.5
- unramified at x* in 34.1
- unramified cusp form on $GL_2(\mathbf{A})$ with values in Λ* in 93.1
- unramified homomorphism of local rings* in 3.1
- unramified* in 139.1
- unramified* in 35.1
- unramified* in 3.5
- unramified* in 34.1

- valuation ring* in 47.1
- valuation* in 47.8
- value group* in 47.8
- value of LF at X* in 14.2
- value of RF at X* in 14.2
- value* in 20.1
- value* in 20.1
- variety* in 3.1
- variety* in 59.13
- vector bundle $\pi : V \rightarrow S$ over S* in 6.2
- vector bundle associated to \mathcal{E}* in 6.1
- versal* in 8.13
- vertical* in 26.1
- very ample on X/S* in 38.1
- very reasonable* in 6.1
- very reasonable* in 13.1
- viewed as an algebraic space over S'* in 16.2
- viewed as an algebraic stack over S'* in 19.2
- weak R -orbit* in 5.4
- weak functor* in 26.5
- weak orbit* in 5.4
- weak Serre subcategory* in 7.1
- weaker than the canonical topology* in 12.2
- weakly R -equivalent* in 5.4
- weakly associated points of X* in 5.1
- weakly associated* in 64.1
- weakly associated* in 5.1
- Weil divisor $[D]$ associated to an effective Cartier divisor $D \subset X$* in 34.1
- Weil divisor associated to \mathcal{L}* in 24.1
- Weil divisor associated to s* in 24.1
- Weil divisor associated to a Cartier divisor* in 34.1
- Weil divisor associated to a rational function $f \in K(X)^*$* in 34.1
- Weil divisor* in 34.1
- which associates a sheaf to a semi-representable object* in 2.2
- Yoneda extension* in 26.4
- Zariski covering of T* in 3.1
- Zariski covering of X* in 8.1
- Zariski covering* in 12.5
- Zariski locally quasi-separated over S* in 13.2
- Zariski locally quasi-separated* in 3.1
- Zariski locally quasi-separated* in 3.1
- Zariski sheaf* in 4.3
- Zariski topos* in 21.1
- Zariski, étale, smooth, syntomic, or fppf covering* in 12.4
- Zariski* in 16.3
- zero object* in 3.3
- zero scheme* in 9.15
- zeroth K -group of \mathcal{A}* in 8.1
- zeroth Čech cohomology group* in 13.1
- Čech cohomology groups* in 9.1
- Čech complex* in 9.1

2. Definitions listed per chapter

- Introduction** In 2.15: *natural transformation, morphism of functors*
- Conventions** In 2.17: *equivalence of categories, quasi-inverse*
- Set Theory** In 2.20: *product category*
- In 3.1: *opposite category*
- Categories** In 3.2: *contravariant*
- In 3.3: *presheaf of sets on \mathcal{C} , presheaf*
- In 3.6: *representable*
- In 4.1: *product*
- In 4.2: *has products of pairs of objects*
- In 5.1: *coproduct, amalgamated sum*
- In 5.2: *has coproducts of pairs of objects*
- In 6.1: *fibre product*
- In 6.2: *has fibre products*
- In 2.1: *category*
- In 2.4: *isomorphism*
- In 2.5: *groupoid*
- In 2.8: *functor*
- In 2.9: *faithful, fully faithful, essentially surjective*
- In 2.10: *subcategory, full subcategory, strictly full*

- In 6.3: *representable*
 - In 8.2: *representable, F is relatively representable over G*
 - In 9.1: *pushout*
 - In 10.1: *equalizer*
 - In 11.1: *coequalizer*
 - In 12.1: *initial, final*
 - In 13.1: *limit*
 - In 13.2: *colimit*
 - In 13.5: *product*
 - In 13.6: *coproduct*
 - In 15.1: *connected*
 - In 17.1: *directed, filtered, directed, filtered*
 - In 17.5: *\mathcal{I} is cofinal in \mathcal{J}*
 - In 18.1: *codirected, cofiltered, codirected, cofiltered*
 - In 19.1: *system over I in \mathcal{C} , inductive system over I in \mathcal{C} , inverse system over I in \mathcal{C} , projective system over I in \mathcal{C} , transition maps*
 - In 19.2: *directed system, directed inverse system, directed*
 - In 20.1: *is essentially constant, value, essentially constant, value*
 - In 20.2: *essentially constant system, essentially constant inverse system*
 - In 21.1: *left exact, right exact, exact*
 - In 22.1: *left adjoint, right adjoint*
 - In 23.1: *monomorphism, epimorphism*
 - In 24.1: *left multiplicative system, right multiplicative system, multiplicative system*
 - In 24.17: *saturated*
 - In 25.1: *horizontal*
 - In 26.1: *2-category, 1-morphisms, 2-morphisms, vertical, composition, horizontal*
 - In 26.2: *sub 2-category*
 - In 26.4: *equivalent*
 - In 26.5: *functor, weak functor, pseudo functor*
 - In 27.1: *(2,1)-category*
 - In 28.1: *final object*
 - In 28.2: *2-fibre product of f and g*
 - In 29.1: *2-category of categories over \mathcal{C}*
 - In 29.2: *fibre category, lift, x lies over U , lift, ϕ lies over f*
 - In 30.1: *strongly cartesian morphism, strongly \mathcal{C} -cartesian morphism*
 - In 30.4: *fibred category over \mathcal{C}*
 - In 30.5: *choice of pullbacks, pullback functor*
 - In 30.8: *2-category of fibred categories over \mathcal{C}*
 - In 31.2: *relative inertia of \mathcal{S} over \mathcal{S}' , inertia fibred category $\mathcal{I}_{\mathcal{S}}$ of \mathcal{S}*
 - In 32.1: *fibred in groupoids*
 - In 32.6: *2-category of categories fibred in groupoids over \mathcal{C}*
 - In 33.2: *split fibred category, \mathcal{S}_F*
 - In 34.2: *split category fibred in groupoids, \mathcal{S}_F*
 - In 35.1: *discrete*
 - In 35.2: *category fibred in sets, category fibred in discrete categories*
 - In 35.3: *2-category of categories fibred in sets over \mathcal{C}*
 - In 36.1: *setoid*
 - In 36.2: *category fibred in setoids*
 - In 36.3: *2-category of categories fibred in setoids over \mathcal{C}*
 - In 37.1: *representable*
 - In 38.5: *representable, \mathcal{X} is relatively representable over \mathcal{Y}*
- Topology**
- In 3.1: *base for the topology on X , basis for the topology on X*
 - In 4.1: *connected, connected component*
 - In 4.6: *totally disconnected*
 - In 4.7: *locally connected*
 - In 5.1: *irreducible, irreducible component*
 - In 5.4: *generic point, Kolmogorov, sober*
 - In 6.1: *Noetherian, locally Noetherian*
 - In 7.1: *chain of irreducible closed subsets, length, dimension, Krull dimension, Krull dimension of X at x*
 - In 7.4: *equidimensional*
 - In 8.1: *catenary*
 - In 8.3: *codimension*
 - In 9.1: *quasi-compact, quasi-compact, retrocompact*
 - In 10.1: *constructible, locally constructible*
 - In 12.2: *closed, proper, quasi-proper, universally closed*
 - In 13.1: *Jacobson*

In 14.1: *specialization, generalization, stable under specialization, stable under generalization*

In 14.3: *specializations lift along f , specializing, generalizations lift along f , generalizing*

In 15.1: *submersive*

In 16.1: *immediate specialization, dimension function*

In 17.1: *interior, nowhere dense*

In 18.1: *locally quasi-compact*

In 18.3: *isolated point*

Sheaves on Spaces

In 3.1: *presheaf \mathcal{F} of sets on X , morphism $\varphi : \mathcal{F} \rightarrow \mathcal{G}$ of presheaves of sets on X*

In 3.2: *constant presheaf with value A*

In 4.4: *presheaf of abelian groups on X , abelian presheaf over X , morphism of abelian presheaves over X*

In 5.1: *presheaf \mathcal{F} on X with values in \mathcal{C} , morphism $\varphi : \mathcal{F} \rightarrow \mathcal{G}$ of presheaves with value in \mathcal{C}*

In 5.2: *underlying presheaf of sets of \mathcal{F}*

In 6.1: *presheaf of \mathcal{O} -modules, morphism $\varphi : \mathcal{F} \rightarrow \mathcal{G}$ of presheaves of \mathcal{O} -modules*

In 7.1: *sheaf \mathcal{F} of sets on X , morphism of sheaves of sets*

In 7.4: *constant sheaf with value A*

In 8.1: *abelian sheaf on X , sheaf of abelian groups on X*

In 9.1: *sheaf*

In 10.1: *sheaf of \mathcal{O} -modules, morphism of sheaves of \mathcal{O} -modules*

In 11.2: *separated*

In 15.1: *type of algebraic structure*

In 16.2: *subpresheaf, subsheaf, injective, surjective, injective, surjective*

In 21.7: *f -map $\xi : \mathcal{G} \rightarrow \mathcal{F}$*

In 21.9: *composition of φ and ψ*

In 25.1: *ringed space, morphism of ringed spaces*

In 25.3: *composition of morphisms of ringed spaces*

In 26.1: *pushforward, pullback*

In 27.1: *skyscraper sheaf at x with value A , skyscraper sheaf, skyscraper sheaf, skyscraper sheaf, skyscraper sheaf*

In 30.1: *presheaf \mathcal{F} of sets on \mathcal{B} , morphism $\varphi : \mathcal{F} \rightarrow \mathcal{G}$ of presheaves of sets on \mathcal{B}*

In 30.2: *sheaf \mathcal{F} of sets on \mathcal{B} , morphism of sheaves of sets on \mathcal{B}*

In 30.8: *presheaf \mathcal{F} with values in \mathcal{C} on \mathcal{B} , morphism $\varphi : \mathcal{F} \rightarrow \mathcal{G}$ of presheaves with values in \mathcal{C} on \mathcal{B} , sheaf \mathcal{F} with values in \mathcal{C} on \mathcal{B}*

In 30.11: *presheaf of \mathcal{O} -modules \mathcal{F} on \mathcal{B} , morphism $\varphi : \mathcal{F} \rightarrow \mathcal{G}$ of presheaves of \mathcal{O} -modules on \mathcal{B} , sheaf \mathcal{F} of \mathcal{O} -modules on \mathcal{B}*

In 31.2: *restriction of \mathcal{G} to U , restriction of \mathcal{G} to U , open subspace of (X, \mathcal{O}) associated to U , restriction of \mathcal{G} to U*

In 31.3: *extension of \mathcal{F} by the empty set $j_{p!}\mathcal{F}$, extension of \mathcal{F} by the empty set $j_!\mathcal{F}$*

In 31.5: *extension $j_{p!}\mathcal{F}$ of \mathcal{F} by 0, extension $j_!\mathcal{F}$ of \mathcal{F} by 0, extension $j_{p!}\mathcal{F}$ of \mathcal{F} by e , extension $j_!\mathcal{F}$ of \mathcal{F} by e , extension by 0, extension by 0*

Commutative Algebra

In 5.1: *finite R -module, finitely generated R -module, finitely presented R -module, R -module of finite presentation*

In 6.1: *finite type, S is a finite type R -algebra, finite presentation*

In 7.1: *finite*

In 8.1: *partially ordered set, directed set*

In 8.2: *system (M_i, μ_{ij}) of R -modules over I , directed system*

In 8.7: *homomorphism of systems*

In 8.12: *relation*

In 9.1: *multiplicative subset of R*

In 9.2: *localization of A with respect to S*

In 9.6: *localization*

In 11.1: *R -bilinear*

In 11.6: *(A, B) -bimodule*

In 13.1: *base change, base change*

In 16.1: *spectrum*

In 16.3: *Zariski, standard opens*

In 17.1: *local ring, local homomorphism of local rings, local ring map $\varphi : R \rightarrow S$*

In 26.2: *Oka family*

In 32.1: *Jacobson ring*

In 33.1: *integral over R , integral*

In 33.8: *integral closure, integrally closed*

- In 34.1: *normal*
- In 34.3: *almost integral over R , completely normal*
- In 34.10: *normal*
- In 35.1: *integral over I*
- In 36.1: *flat, faithfully flat, flat, faithfully flat*
- In 37.1: *going up, going down*
- In 38.1: *algebraically independent, purely transcendental extension, transcendence basis*
- In 38.3: *transcendence degree*
- In 39.1: *algebraic, separable, purely inseparable, normal, Galois*
- In 39.3: *separable degree, inseparable degree, degree of inseparability*
- In 39.6: *algebraic closure of k in K , algebraically closed in K*
- In 40.1: *separably generated over k , separable over k*
- In 41.1: *geometrically reduced over k*
- In 43.1: *perfect*
- In 43.5: *perfect closure*
- In 44.6: *geometrically irreducible over k*
- In 45.3: *geometrically connected over k*
- In 46.1: *geometrically integral over k*
- In 47.1: *dominates, valuation ring, centered*
- In 47.8: *value group, valuation, discrete valuation ring*
- In 48.2: *locally nilpotent, nilpotent*
- In 49.1: *length*
- In 49.9: *simple*
- In 50.1: *Artinian*
- In 51.1: *essentially of finite type, essentially of finite presentation*
- In 54.1: *homogeneous spectrum*
- In 55.1: *blowup algebra, Rees algebra, affine blowup algebra*
- In 56.2: *numerical polynomial*
- In 57.1: *an ideal of definition of R*
- In 57.7: *$d(M)$*
- In 58.1: *Krull dimension*
- In 58.2: *height*
- In 58.9: *system of parameters of R , regular local ring, regular system of parameters*
- In 60.2: *support of M*
- In 61.1: *associated*
- In 62.1: *symbolic power*
- In 63.2: *relative assassin of N over S/R*
- In 64.1: *weakly associated*
- In 65.1: *embedded associated primes, embedded primes of R*
- In 66.1: *M -regular, M -regular sequence in I , regular sequence*
- In 66.4: *I -depth, depth*
- In 67.1: *M -quasi-regular, quasi-regular sequence*
- In 68.2: *resolution, resolution of M by free R -modules, resolution of M by finite free R -modules*
- In 72.1: *projective*
- In 73.1: *locally free, finite locally free*
- In 77.1: *universally injective, universally exact*
- In 79.1: *direct sum dévissage, Kaplansky dévissage*
- In 81.1: *Mittag-Leffler inverse system*
- In 83.1: *Mittag-Leffler directed system of modules*
- In 83.2: *dominates*
- In 83.6: *Mittag-Leffler*
- In 85.1: *coherent module, coherent ring*
- In 91.5: *I -adically complete, I -adically complete*
- In 95.4: *rank*
- In 96.1: *Cohen-Macaulay*
- In 97.1: *Cohen-Macaulay*
- In 97.6: *Cohen-Macaulay*
- In 97.9: *maximal Cohen-Macaulay*
- In 98.1: *catenary*
- In 98.5: *universally catenary*
- In 101.1: *pure*
- In 102.2: *finite projective dimension, projective dimension*
- In 102.6: *finite global dimension, global dimension*
- In 103.6: *regular*
- In 104.5: *local ring of the fibre at \mathfrak{q}*
- In 112.1: *associates, irreducible, prime*
- In 112.4: *unique factorization domain, UFD*
- In 112.6: *principal ideal domain, PID*
- In 112.8: *Dedekind domain*
- In 113.2: *order of vanishing along R*

- In 113.3: *lattice in V*
 In 113.5: *distance between M and M'*
 In 114.3: *quasi-finite at \mathfrak{q} , quasi-finite*
 In 115.8: *strongly transcendental over R*
 In 117.1: *relative dimension of S/R at \mathfrak{q} , relative dimension of*
 In 123.1: *derivation, R -derivation, Leibniz rule*
 In 123.2: *module of Kähler differentials, module of differentials*
 In 124.1: *naive cotangent complex*
 In 125.1: *global complete intersection over k , local complete intersection over k*
 In 125.5: *complete intersection (over k)*
 In 126.1: *syntomic, flat local complete intersection over R*
 In 126.5: *relative global complete intersection*
 In 127.1: *smooth*
 In 127.6: *standard smooth algebra over R*
 In 127.11: *smooth at \mathfrak{q}*
 In 128.1: *formally smooth over R*
 In 131.1: *small extension*
 In 133.1: *étale, étale at \mathfrak{q}*
 In 133.13: *standard étale*
 In 136.1: *formally unramified over R*
 In 137.2: *universal first order thickening, conormal module, $C_{S/R}$*
 In 138.1: *formally étale over R*
 In 139.1: *unramified, G -unramified, unramified at \mathfrak{q} , G -unramified at \mathfrak{q}*
 In 140.1: *henselian, strictly henselian*
 In 140.14: *henselization, strict henselization of R with respect to $\kappa \subset \kappa^{sep}$, strict henselization*
 In 141.1: *(R_k) , regular in codimension $\leq k$, (S_k)*
 In 144.1: *complete local ring*
 In 144.4: *coefficient ring*
 In 144.5: *Cohen ring*
 In 145.1: *$N-1$, $N-2$, Japanese*
 In 145.15: *universally Japanese, Nagata ring*
 In 145.23: *analytically unramified, analytically unramified*
 In 148.2: *geometrically normal*
 In 149.2: *geometrically regular*
- Brauer groups**
- In 2.1: *finite*
 In 2.2: *skew field*
 In 2.3: *simple, simple*
 In 2.4: *central*
 In 2.5: *opposite algebra*
 In 5.2: *Brauer group*
 In 8.1: *splits, splitting field*
- Sites and Sheaves**
- In 2.1: *presheaf of sets, Morphisms of presheaves*
 In 2.2: *presheaf, morphism*
 In 3.1: *injective, surjective*
 In 3.3: *subpresheaf*
 In 3.5: *image of φ*
 In 6.1: *family of morphisms with fixed target*
 In 6.2: *site, coverings of \mathcal{C}*
 In 7.1: *sheaf*
 In 7.5: *$Sh(\mathcal{C})$*
 In 7.6: *sheaf*
 In 8.1: *morphism of families of maps with fixed target of \mathcal{C} from \mathcal{U} to \mathcal{V} , morphism from \mathcal{U} to \mathcal{V} , refinement*
 In 8.2: *combinatorially equivalent, tautologically equivalent*
 In 10.9: *separated*
 In 10.11: *sheaf associated to \mathcal{F}*
 In 11.1: *injective, surjective*
 In 12.1: *effective epimorphism, universal effective epimorphism*
 In 12.2: *weaker than the canonical topology, subcanonical*
 In 12.3: *$\underline{U} = h_U, U$, representable sheaf*
 In 13.1: *continuous*
 In 14.1: *morphism of sites*
 In 14.4: *composition*
 In 15.1: *topos, morphism of topoi, composition $f \circ g$*
 In 18.1: *cocontinuous*
 In 21.1: *localization of the site \mathcal{C} at the object U , localization morphism, direct image functor, restriction of \mathcal{F} to \mathcal{C}/U , extension of \mathcal{G} by the empty set*
 In 25.2: *special cocontinuous functor u from \mathcal{C} to \mathcal{D}*

- In 26.4: *localization of the topos $Sh(\mathcal{C})$ at \mathcal{F} , localization morphism*
 - In 28.1: *point of the topos $Sh(\mathcal{C})$*
 - In 28.2: *point p of the site \mathcal{C}*
 - In 28.6: *skyscraper sheaf*
 - In 32.1: *2-morphism from f to g*
 - In 33.2: *morphism $f : p \rightarrow p'$*
 - In 34.1: *conservative, has enough points*
 - In 37.1: *sheaf theoretically empty*
 - In 37.3: *almost cocontinuous*
 - In 38.1: *pushforward*
 - In 39.1: *global sections*
 - In 40.1: *sieve S on U*
 - In 40.3: *sieve on U generated by the morphisms f_i*
 - In 40.4: *pullback of S by f*
 - In 40.6: *topology on \mathcal{C}*
 - In 40.8: *finer*
 - In 40.10: *sheaf*
 - In 40.12: *canonical topology*
 - In 41.2: *topology associated to \mathcal{C}*
 - In 42.2: *separated*
 - In 42.4: *sheaf associated to \mathcal{F}*
 - In 45.1: *point p*
- Homological Algebra**
- In 3.1: *preadditive, additive*
 - In 3.3: *zero object*
 - In 3.5: *direct sum*
 - In 3.8: *additive*
 - In 3.9: *kernel, cokernel, coimage of f , image of f*
 - In 3.12: *abelian*
 - In 3.14: *injective, surjective, subobject, quotient*
 - In 3.18: *complex, exact at y , exact, short exact sequence*
 - In 3.20: *split*
 - In 4.1: *extension E of B by A*
 - In 4.2: *Ext-group*
 - In 7.1: *Serre subcategory, weak Serre subcategory*
 - In 7.5: *kernel of the functor F*
 - In 8.1: *zeroth K -group of \mathcal{A}*
 - In 9.1: *cohomological δ -functor, δ -functor*
 - In 9.2: *morphism of δ -functors from F to G*
 - In 9.3: *universal δ -functor*
 - In 10.2: *homotopy equivalence, homotopy equivalent*
 - In 10.4: *quasi-isomorphism, acyclic*
 - In 10.8: *homotopy equivalence, homotopy equivalent*
 - In 10.10: *quasi-isomorphism, acyclic*
 - In 12.1: *k -shifted chain complex $A[k]_\bullet$*
 - In 12.2: *$H_{i+k}(A_\bullet) \rightarrow H_i(A[k]_\bullet)$*
 - In 12.7: *k -shifted cochain complex $A[k]^\bullet$*
 - In 12.8: *$H^{i+k}(A^\bullet) \rightarrow H^i(A[k]^\bullet)$*
 - In 13.1: *decreasing filtration, filtered object of \mathcal{A} , morphism $(A, F) \rightarrow (B, F)$ of filtered objects, induced filtration, quotient filtration, finite, separated, exhaustive*
 - In 13.3: *strict*
 - In 13.12: *graded object of \mathcal{A} , morphism $(A, k) \rightarrow (B, k)$ of graded objects*
 - In 14.1: *spectral sequence in \mathcal{A} , morphism of spectral sequences*
 - In 14.2: *limit, collapses at E_r , degenerates at E_r*
 - In 15.1: *exact couple, morphism of exact couples*
 - In 15.3: *spectral sequence associated to the exact couple*
 - In 16.1: *differential object, morphism of differential objects*
 - In 16.3: *homology*
 - In 16.5: *spectral sequence associated to (A, d, α)*
 - In 17.1: *filtered differential object*
 - In 17.4: *induced filtration*
 - In 17.6: *converges, abuts to, converges to*
 - In 18.1: *filtered complex K^\bullet of \mathcal{A}*
 - In 18.5: *induced filtration*
 - In 18.7: *converges*
 - In 19.1: *double complex*
 - In 19.2: *associated simple complex sA^\bullet , associated total complex*
 - In 19.4: *converges, converges*
 - In 20.1: *injective*
 - In 20.4: *enough injectives*
 - In 20.5: *functorial injective embeddings*
 - In 21.1: *projective*
 - In 21.4: *enough projectives*
 - In 21.5: *functorial projective surjections*
 - In 23.2: *Mittag-Leffler condition, ML*

In 25.1: *differential graded algebra*
 In 25.2: *homomorphism of differential graded algebras*
 In 25.3: *commutative, strictly commutative*
 In 25.4: *tensor product differential graded algebra*

Derived Categories

In 3.1: *triangle, morphism of triangles*
 In 3.2: *triangulated category, distinguished triangles, pre-triangulated category*
 In 3.3: *exact functor, triangulated functor*
 In 3.4: *pre-triangulated subcategory, triangulated subcategory*
 In 3.5: *homological, cohomological*
 In 3.6: δ -*functor from \mathcal{A} to \mathcal{D} , image of the short exact sequence under the given δ -functor*
 In 5.1: *compatible with the triangulated structure*
 In 6.1: *saturated*
 In 6.5: *kernel of F , kernel of H*
 In 6.7: *quotient category \mathcal{D}/\mathcal{B} , quotient functor*
 In 7.1: *category of (cochain) complexes, bounded below, bounded above, bounded*
 In 8.1: *cone*
 In 8.3: *termwise split injection $\alpha : A^\bullet \rightarrow B^\bullet$, termwise split surjection $\beta : B^\bullet \rightarrow C^\bullet$*
 In 8.8: *termwise split sequence of complexes of \mathcal{A} , triangle associated to the termwise split sequence of complexes*
 In 9.1: *distinguished triangle of $K(\mathcal{A})$*
 In 10.3: *derived category of \mathcal{A} , bounded derived category*
 In 13.1: *category of finite filtered objects of \mathcal{A}*
 In 13.2: *filtered quasi-isomorphism, filtered acyclic*
 In 13.5: *filtered derived category of \mathcal{A}*
 In 13.7: *bounded filtered derived category*
 In 14.2: *right derived functor RF is defined at, value of RF at X , left derived functor LF is defined at, value of LF at X*

In 14.9: *right deriveable, everywhere defined, left deriveable, everywhere defined*
 In 14.10: *computes, computes*
 In 15.3: *right derived functors of F , left derived functors of F , right acyclic for F , acyclic for RF , left acyclic for F , acyclic for LF*
 In 16.2: *i th right derived functor R^iF of F*
 In 17.1: *injective resolution of A , injective resolution of K^\bullet*
 In 18.1: *projective resolution of A , projective resolution of K^\bullet*
 In 20.1: *Cartan-Eilenberg resolution*
 In 22.2: *resolution functor*
 In 25.1: *filtered injective*
 In 26.1: *i th extension group*
 In 26.4: *Yoneda extension, equivalent*
 In 28.1: *K -injective*

More on Algebra

In 3.3: *K -flat*
 In 3.12: *derived tensor product*
 In 5.1: *Tor independent over R*
 In 8.1: *I -power torsion module, an f -power torsion module*
 In 10.1: *auto-associated*
 In 17.1: *torsion, torsion free*
 In 19.1: *strict transform of M along $R \rightarrow R'$*
 In 21.1: *Koszul complex*
 In 21.2: *Koszul complex on f_1, \dots, f_r*
 In 22.1: *Koszul-regular, H_1 -regular*
 In 23.1: *regular ideal, Koszul-regular ideal, H_1 -regular ideal, quasi-regular ideal*
 In 24.2: *local complete intersection*
 In 27.1: *topological ring, topological module, homomorphism of topological modules, homomorphism of topological rings, linearly topologized, linearly topologized, ideal of definition, pre-admissible, admissible, pre-adic, adic*
 In 28.1: *formally smooth over R*
 In 28.3: *formally smooth for the \mathfrak{n} -adic topology*
 In 31.1: *regular*
 In 35.1: *p -independent over k , p -basis of K over k*

- In 36.1: $J-0, J-1, J-2$
- In 39.1: G -ring
- In 40.1: *quasi-excellent, excellent*
- In 41.1: m -pseudo-coherent, pseudo-coherent, m -pseudo-coherent, pseudo-coherent
- In 42.1: *tor-amplitude in $[a, b]$, finite tor dimension, tor dimension $\leq d$, finite tor dimension*
- In 43.1: *perfect, perfect*
- In 44.2: *compact object*
- In 45.2: *an A -module finitely presented relative to R*
- In 46.4: *m -pseudo-coherent relative to R , pseudo-coherent relative to R , m -pseudo-coherent relative to R , pseudo-coherent relative to R*
- In 47.1: *pseudo-coherent ring map, perfect ring map*
- In 17.1: *n -truncated simplicial object of \mathcal{C} , morphism of n -truncated simplicial objects*
- In 18.1: *augmentation $\epsilon : U \rightarrow X$ of U towards an object X of \mathcal{C}*
- In 20.3: *Eilenberg-MacLane object $K(A, k)$*
- In 24.1: *homotopic, homotopy connecting a and b*
- In 24.5: *homotopy equivalence, homotopy equivalent*
- In 26.1: *homotopic, homotopy connecting a and b*

Smoothing Ring Maps

- In 3.1: *singular ideal of A over R*
- In 3.3: *elementary standard in A over R , strictly standard in A over R*

Simplicial Methods

- In 2.1: $\delta_j^n : [n - 1] \rightarrow [n], \sigma_j^n : [n + 1] \rightarrow [n]$
- In 3.1: *simplicial object U of \mathcal{C} , simplicial set, simplicial abelian group, morphism of simplicial objects $U \rightarrow U'$, category of simplicial objects of \mathcal{C}*
- In 5.1: *cosimplicial object U of \mathcal{C} , cosimplicial set, cosimplicial abelian group, morphism of cosimplicial objects $U \rightarrow U'$, category of cosimplicial objects of \mathcal{C}*
- In 6.1: *product of U and V*
- In 7.1: *fibre product of V and W over U*
- In 8.1: *pushout of V and W over U*
- In 9.1: *product of U and V*
- In 10.1: *fibre product of V and W over U*
- In 11.1: *n -simplex of U , face of x , degeneracy of x , degenerate*
- In 12.1: *product $U \times V$ of U and V , product $U \times V$ exists*
- In 13.1: $\text{Hom}(U, V)$
- In 15.1: $\text{Hom}(U, V)$
- In 16.1: *split*

Sheaves of Modules

- In 4.1: *generated by global sections, generate*
- In 4.5: *subsheaf generated by the s_i*
- In 5.1: *support of \mathcal{F} , support of s*
- In 8.1: *locally generated by sections*
- In 9.1: *finite type*
- In 10.1: *quasi-coherent sheaf of \mathcal{O}_X -modules*
- In 10.6: *sheaf associated to the module M and the ring map α , sheaf associated to the module M*
- In 11.1: *finite presentation*
- In 12.1: *coherent \mathcal{O}_X -module*
- In 13.1: *closed immersion of ringed spaces*
- In 14.1: *locally free, finite locally free*
- In 16.1: *flat*
- In 16.3: *flat at x*
- In 17.1: *flat at x , flat*
- In 20.1: *Koszul complex*
- In 20.2: *Koszul complex on f_1, \dots, f_r*
- In 21.1: *invertible \mathcal{O}_X -module, trivial*
- In 21.3: *tensor power of \mathcal{L}*
- In 21.4: *associated graded ring*
- In 21.6: *Picard group*

Modules on Sites

- In 4.1: *free abelian presheaf*
- In 5.1: *free abelian sheaf*
- In 6.1: *ringed site, structure sheaf, morphism of ringed sites, composition of morphisms of ringed sites*

In 7.1: *ringed topoi, structure sheaf, morphism of ringed topoi, composition of morphisms of ringed topoi*

In 8.1: *2-morphism from f to g*

In 9.1: *presheaf of \mathcal{O} -modules, morphism $\varphi : \mathcal{F} \rightarrow \mathcal{G}$ of presheaves of \mathcal{O} -modules*

In 10.1: *sheaf of \mathcal{O} -modules, morphism of sheaves of \mathcal{O} -modules*

In 13.1: *pushforward, pullback*

In 16.1: *$g_{p!}\mathcal{F}$, $g_!\mathcal{F} = (g_{p!}\mathcal{F})^\#$*

In 17.1: *free \mathcal{O} -module, finite free, generated by global sections, generated by finitely many global sections, global presentation, global finite presentation*

In 19.1: *localization of the ringed site $(\mathcal{C}, \mathcal{O})$ at the object U , localization morphism, direct image functor, restriction of \mathcal{F} to \mathcal{C}/U , extension by zero*

In 21.2: *localization of the ringed topos $(Sh(\mathcal{C}), \mathcal{O})$ at \mathcal{F} , localization morphism*

In 23.1: *locally free, finite locally free, locally generated by sections, of finite type, quasi-coherent, of finite presentation, coherent*

In 26.1: *flat, flat, flat, flat*

In 27.1: *flat, flat*

In 28.1: *rank r , invertible \mathcal{O} -module, \mathcal{O}^**

In 28.4: *Picard group*

In 29.1: *\mathcal{O}_1 -derivation, φ -derivation, Leibniz rule*

In 29.3: *module of differentials, universal φ -derivation*

In 29.6: *Y -derivation, sheaf of differentials $\Omega_{X/Y}$ of X over Y , universal Y -derivation*

In 34.4: *locally ringed site*

In 34.6: *locally ringed*

In 34.8: *morphism of locally ringed topoi, morphism of locally ringed sites*

Injectives

In 3.1: *$M \mapsto M^\vee$, free module*

In 6.4: *α -small with respect to I*

In 14.1: *generator, Grothendieck abelian category*

In 15.1: *size*

Cohomology of Sheaves

In 5.1: *torsor, \mathcal{G} -torsor, morphism of \mathcal{G} -torsors, trivial \mathcal{G} -torsor*

In 9.1: *Čech complex, Čech cohomology groups*

In 17.1: *alternating Čech complex*

In 17.2: *ordered Čech complex*

In 18.1: *locally finite*

In 20.2: *K -flat*

In 20.13: *derived tensor product*

Cohomology on Sites

In 5.1: *pseudo torsor, pseudo \mathcal{G} -torsor, morphism of pseudo \mathcal{G} -torsors, torsor, \mathcal{G} -torsor, morphism of \mathcal{G} -torsors, trivial \mathcal{G} -torsor*

In 9.1: *Cech complex, Cech cohomology groups*

In 13.4: *limp*

In 17.2: *K -flat*

In 17.11: *derived tensor product*

Hypercoverings

In 2.1: *semi-representable objects*

In 2.2: *which associates a sheaf to a semi-representable object*

In 2.4: *covering*

In 2.6: *hypercovering*

In 3.1: *homology of K*

Schemes

In 2.1: *locally ringed space (X, \mathcal{O}_X) , local ring of X at x , residue field of X at x , morphism of locally ringed spaces*

In 3.1: *open immersion*

In 3.3: *open subspace of X associated to U*

In 4.1: *closed immersion*

In 4.4: *closed subspace of X associated to the sheaf of ideals \mathcal{I}*

In 5.2: *standard open covering, standard open covering*

In 5.3: *structure sheaf $\mathcal{O}_{\text{Spec}(R)}$ of the spectrum of R , spectrum*

In 5.5: *affine scheme, morphism of affine schemes*

In 9.1: *scheme, morphism of schemes*

In 10.2: *open immersion, open subscheme, closed immersion, closed subscheme, immersion, locally closed immersion*

In 12.1: *reduced*

In 12.5: *scheme structure on Z , reduced induced scheme structure, reduction X_{red} of X*

In 15.1: *representable by a scheme, representable*

In 15.3: *satisfies the sheaf property for the Zariski topology, subfunctor $H \subset F$, representable by open immersions, covers F*

In 17.1: *fibre product*

In 17.7: *inverse image $f^{-1}(Z)$ of the closed subscheme Z*

In 18.1: *scheme over S , structure morphism, scheme over R , morphism $f : X \rightarrow Y$ of schemes over S , base change, base change, base change*

In 18.3: *preserved under arbitrary base change, preserved under base change, preserved under arbitrary base change, preserved under base change*

In 18.4: *scheme theoretic fibre X_s of f over s , fibre of f over s*

In 19.1: *quasi-compact*

In 20.1: *universally closed*

In 20.3: *satisfies the existence part of the valuative criterion, satisfies the uniqueness part of the valuative criterion*

In 21.3: *separated, quasi-separated, separated, quasi-separated*

In 23.1: *monomorphism*

Constructions of Schemes

In 4.5: *relative spectrum of \mathcal{A} over S , spectrum of \mathcal{A} over S*

In 5.1: *affine n -space over S , affine n -space over R*

In 6.1: *vector bundle associated to \mathcal{E}*

In 6.2: *vector bundle $\pi : V \rightarrow S$ over S , morphism of vector bundles over S*

In 7.1: *cone associated to \mathcal{A} , affine cone associated to \mathcal{A}*

In 7.2: *cone $\pi : C \rightarrow S$ over S , morphism of cones*

In 8.2: *standard open covering*

In 8.3: *structure sheaf $\mathcal{O}_{\text{Proj}(S)}$ of the homogeneous spectrum of S , homogeneous spectrum*

In 10.1: *twist of the structure sheaf of $\text{Proj}(S)$*

In 13.2: *projective n -space over \mathbf{Z} , projective n -space over S , projective n -space over R*

In 16.7: *relative homogeneous spectrum of \mathcal{A} over S , homogeneous spectrum of \mathcal{A} over S , relative Proj of \mathcal{A} over S*

In 20.1: *projective bundle associated to \mathcal{E} , twist of the structure sheaf*

In 21.1: *blowing up of X along Z , blowing up of X in the ideal sheaf \mathcal{I}*

Properties of Schemes

In 3.1: *integral*

In 4.1: *local*

In 4.2: *locally P*

In 5.1: *locally Noetherian, Noetherian*

In 6.1: *Jacobson*

In 7.1: *normal*

In 8.1: *Cohen-Macaulay*

In 9.1: *regular, nonsingular*

In 10.1: *dimension, dimension of X at x*

In 11.1: *catenary*

In 12.1: *regular in codimension k , (R_k) , (S_k)*

In 13.1: *Japanese, universally Japanese, Nagata*

In 14.1: *regular locus, singular locus*

In 15.1: *quasi-affine*

In 19.1: *locally projective*

In 21.1: *κ -generated*

In 22.4: *subsheaf of sections annihilated by \mathcal{I}*

In 23.1: *ample*

Morphisms of Schemes

In 5.2: *scheme theoretic image*

In 6.1: *scheme theoretic closure of U in X , scheme theoretically dense in X*

In 7.1: *dominant*

In 8.1: *birational*

In 9.1: *equivalent, rational map from X to Y , S -rational map from X to Y*

In 9.2: *rational function on X*

In 9.3: *ring of rational functions on X*

- In 9.5: *function field, field of rational functions*
- In 10.1: *surjective*
- In 11.1: *universally injective, radicial*
- In 12.1: *affine*
- In 13.1: *quasi-affine*
- In 14.1: *local, stable under base change, stable under composition*
- In 14.2: *locally of type P*
- In 15.1: *finite type at $x \in X$, locally of finite type, finite type*
- In 16.3: *finite type point*
- In 17.1: *universally catenary*
- In 19.1: *J -2*
- In 20.1: *quasi-finite at a point $x \in X$, locally quasi-finite, quasi-finite*
- In 21.1: *finite presentation at $x \in X$, locally of finite presentation, finite presentation*
- In 23.1: *open, universally open*
- In 24.1: *submersive, universally submersive*
- In 25.1: *flat at a point $x \in X$, flat over S at a point $x \in X$, flat, flat over S*
- In 26.2: *canonical scheme structure on T*
- In 29.1: *relative dimension $\leq d$ at x , relative dimension $\leq d$, relative dimension d*
- In 31.1: *syntomic at $x \in X$, syntomic, local complete intersection over k , standard syntomic*
- In 31.15: *syntomic of relative dimension d*
- In 32.1: *conormal sheaf $\mathcal{C}_{Z/X}$ of Z in X , conormal sheaf of i*
- In 33.1: *derivation, S -derivation, Leibniz rule*
- In 33.4: *sheaf of differentials $\Omega_{X/S}$ of X over S , universal S -derivation*
- In 34.1: *smooth at $x \in X$, smooth, standard smooth*
- In 34.13: *smooth of relative dimension d*
- In 35.1: *unramified at $x \in X$, G -unramified at $x \in X$, unramified, G -unramified*
- In 36.1: *étale at $x \in X$, étale, standard étale*
- In 37.1: *relatively ample, f -relatively ample, ample on X/S , f -ample*
- In 38.1: *relatively very ample, f -relatively very ample, very ample on X/S , f -very ample*
- In 40.1: *quasi-projective, H -quasi-projective, locally quasi-projective*
- In 41.1: *proper*
- In 42.1: *projective, H -projective, locally projective*
- In 43.1: *integral, finite*
- In 44.1: *universal homeomorphism*
- In 45.1: *finite locally free, rank, degree*
- In 46.5: *degree of X over Y*
- In 47.2: *integral closure of \mathcal{O}_X in \mathcal{A}*
- In 47.3: *normalization of X in Y*
- In 47.12: *normalization*
- In 49.1: *bounds the degrees of the fibres of f , fibres of f are universally bounded*

Cohomology of Schemes

- In 10.5: *scheme theoretic support of \mathcal{F}*
- In 13.1: *depth k at a point, depth k at a point, (S_k) , (S_k)*
- In 13.2: *Cohen-Macaulay*

Divisors

- In 2.1: *associated, associated points of X*
- In 4.1: *embedded associated point, embedded point, embedded component*
- In 5.1: *weakly associated, weakly associated points of X*
- In 7.1: *relative assassin of \mathcal{F} in X over S*
- In 8.1: *relative weak assassin of \mathcal{F} in X over S*
- In 9.1: *locally principal closed subscheme, effective Cartier divisor*
- In 9.4: *sum of the effective Cartier divisors D_1 and D_2*
- In 9.8: *pullback of D by f is defined, pullback of the effective Cartier divisor*
- In 9.11: *invertible sheaf $\mathcal{O}_S(D)$ associated to D*
- In 9.13: *regular section*
- In 9.15: *zero scheme*
- In 10.2: *relative effective Cartier divisor*
- In 11.1: *conormal algebra $\mathcal{C}_{Z/X,*}$ of Z in X , conormal algebra of f*

In 11.5: *normal cone $C_Z X$, normal bundle*
 In 12.2: *regular, Koszul-regular, H_1 -regular, quasi-regular*
 In 13.1: *regular immersion, Koszul-regular immersion, H_1 -regular immersion, quasi-regular immersion*
 In 14.2: *relative quasi-regular immersion, relative H_1 -regular immersion*
 In 15.1: *sheaf of meromorphic functions on X , \mathcal{K}_X , meromorphic function*
 In 15.3: *pullbacks of meromorphic functions are defined for f*
 In 15.5: *meromorphic section of \mathcal{F}*
 In 15.10: *regular*
 In 15.14: *ideal sheaf of denominators of s*

Limits of Schemes

Varieties

In 3.1: *variety*
 In 4.1: *geometrically reduced at x , geometrically reduced*
 In 5.1: *geometrically connected*
 In 6.1: *geometrically irreducible*
 In 7.1: *geometrically pointwise integral at x , geometrically pointwise integral, geometrically integral*
 In 8.1: *geometrically normal at x , geometrically normal*
 In 10.1: *geometrically regular at x , geometrically regular over k*
 In 13.1: *algebraic k -scheme, locally algebraic k -scheme*
 In 16.1: *affine variety, projective variety, quasi-projective variety, proper variety*

Chow Homology and Chern Classes

In 2.1: *admissible, symbol, admissible relation, determinant of the finite length R -module*
 In 3.1: *2-periodic complex, cohomology modules, exact, (2,1)-periodic complex, cohomology modules*
 In 3.2: *multiplicity, Herbrand quotient*
 In 3.4: *determinant of (M, φ, ψ)*
 In 4.3: *symbol associated to M, a, b*
 In 4.5: *tame symbol*

In 7.5: *δ -dimension of Z*
 In 8.1: *locally finite, cycle on X , k -cycle*
 In 9.2: *multiplicity of Z' in Z , k -cycle associated to Z*
 In 10.2: *multiplicity of Z' in \mathcal{F} , k -cycle associated to \mathcal{F}*
 In 12.1: *pushforward*
 In 14.1: *flat pullback of α by f*
 In 16.1: *order of vanishing of f along Z*
 In 17.1: *principal divisor associated to f*
 In 19.1: *rationally equivalent to zero, rationally equivalent, Chow group of k -cycles on X , Chow group of k -cycles module rational equivalence on X*
 In 23.1: *order of vanishing of s along Z*
 In 24.1: *Weil divisor associated to s , Weil divisor associated to \mathcal{L}*
 In 25.1: *intersection with the first chern class of \mathcal{L}*
 In 27.3: *ϵ -invariant*
 In 27.5: *sum of the effective Cartier divisors*
 In 28.1: *Gysin homomorphism*
 In 34.1: *chern classes of \mathcal{E} on X , total chern class of \mathcal{E} on X*
 In 35.1: *intersection with the j th chern class of \mathcal{E}*
 In 36.1: *polynomial relation among the chern classes*

Topologies on Schemes

In 3.1: *Zariski covering of T*
 In 3.4: *standard Zariski covering*
 In 3.5: *big Zariski site*
 In 3.7: *big Zariski site of S , small Zariski site of S , big affine Zariski site of S*
 In 3.14: *restriction to the small Zariski site*
 In 4.1: *étale covering of T*
 In 4.5: *standard étale covering*
 In 4.6: *big étale site*
 In 4.8: *big étale site of S , small étale site of S , big affine étale site of S*
 In 4.14: *restriction to the small étale site*
 In 5.1: *smooth covering of T*
 In 5.5: *standard smooth covering*
 In 5.6: *big smooth site*
 In 5.8: *big smooth site of S , big affine smooth site of S*

In 6.1: *syntomic covering of T*
 In 6.5: *standard syntomic covering*
 In 6.6: *big syntomic site*
 In 6.8: *big syntomic site of S , big affine syntomic site of S*
 In 7.1: *fppf covering of T*
 In 7.5: *standard fppf covering*
 In 7.6: *big fppf site*
 In 7.8: *big fppf site of S , big affine fppf site of S*
 In 8.1: *fpqc covering of T*
 In 8.9: *standard fpqc covering*
 In 8.12: *satisfies the sheaf property for the given family, satisfies the sheaf property for the fpqc topology*

Descent

In 2.1: *descent datum $(\mathcal{F}_i, \varphi_{ij})$ for quasi-coherent sheaves, cocycle condition, morphism $\psi : (\mathcal{F}_i, \varphi_{ij}) \rightarrow (\mathcal{F}'_i, \varphi'_{ij})$ of descent data*
 In 2.3: *trivial descent datum, canonical descent datum, effective*
 In 3.1: *descent datum (N, φ) for modules with respect to $R \rightarrow A$, cocycle condition, morphism $(N, \varphi) \rightarrow (N', \varphi')$ of descent data*
 In 3.4: *effective*
 In 6.2: *structure sheaf of the big site $(Sch/S)_\tau$, sheaf of \mathcal{O} -modules associated to \mathcal{F} , sheaf of \mathcal{O} -modules associated to \mathcal{F}*
 In 7.1: *parasitic, parasitic for the τ -topology*
 In 11.1: *local in the τ -topology*
 In 16.1: *germ of X at x , morphism of germs, composition of morphisms of germs*
 In 16.2: *étale, smooth*
 In 17.1: *étale local, smooth local*
 In 18.1: *τ local on the base, τ local on the target, local on the base for the τ -topology*
 In 22.1: *τ local on the source, local on the source for the τ -topology*
 In 28.3: *étale local on source-and-target*
 In 29.1: *étale local on the source-and-target*
 In 30.1: *descent datum for $V/X/S$, cocycle condition, descent datum relative to $X \rightarrow S$, morphism $f : (V/X, \varphi) \rightarrow$*

$(V'/X, \varphi')$ of descent data relative to $X \rightarrow S$
 In 30.3: *descent datum (V_i, φ_{ij}) relative to the family $\{X_i \rightarrow S\}$, morphism $\psi : (V_i, \varphi_{ij}) \rightarrow (V'_i, \varphi'_{ij})$ of descent data*
 In 30.7: *pullback functor*
 In 30.9: *pullback functor*
 In 30.10: *trivial descent datum, canonical descent datum, effective*
 In 30.11: *canonical descent datum, effective*
 In 32.1: *morphisms of type \mathcal{P} satisfy descent for τ -coverings*
 In 36.1: *cartesian, V_\bullet is cartesian over X_\bullet*
 In 36.2: *simplicial scheme associated to f*

Adequate Modules

In 3.1: *module-valued functor, morphism of module-valued functors*
 In 3.2: *adequate, linearly adequate*
 In 5.1: *adequate*
 In 5.7: *$Adeq(\mathcal{O})$, $Adeq((Sch/S)_\tau, \mathcal{O})$, $Adeq(S)$*
 In 8.1: *pure projective, pure injective*
 In 8.5: *pure projective resolution, pure injective resolution*
 In 8.8: *pure extension module*

More on Morphisms

In 2.1: *thickening, first order thickening, morphism of thickenings, thickenings over S , morphisms of thickenings over S*
 In 3.1: *first order infinitesimal neighbourhood*
 In 4.1: *formally unramified*
 In 5.2: *universal first order thickening, conormal sheaf of Z over X*
 In 6.1: *formally étale*
 In 9.1: *formally smooth*
 In 14.1: *normal at x , normal morphism*
 In 15.1: *regular at x , regular morphism*
 In 16.1: *Cohen-Macaulay at x , Cohen-Macaulay morphism*
 In 26.1: *étale neighbourhood of (S, s) , morphism of étale neighbourhoods, elementary étale neighbourhood*

In 37.2: *pseudo-coherent*
 In 38.2: *perfect*
 In 39.2: *Koszul at x , Koszul morphism, local complete intersection morphism*

More on flatness

In 2.1: *\mathcal{F} is locally finitely presented relative to S*
 In 5.1: *one step dévissage of $\mathcal{F}/X/S$ over s*
 In 5.2: *one step dévissage of $\mathcal{F}/X/S$ at x*
 In 5.6: *standard shrinking*
 In 6.1: *complete dévissage of $\mathcal{F}/X/S$ over s*
 In 6.2: *complete dévissage of $\mathcal{F}/X/S$ at x*
 In 6.5: *standard shrinking*
 In 7.1: *elementary étale localization of the ring map $R \rightarrow S$ at \mathfrak{q}*
 In 7.2: *complete dévissage of $N/S/R$ over \mathfrak{r}*
 In 7.4: *complete dévissage of $N/S/R$ at \mathfrak{q}*
 In 15.2: *impurity of \mathcal{F} above s*
 In 16.1: *pure along X_s , universally pure along X_s , pure along X_s , universally S -pure, universally pure relative to S , S -pure, pure relative to S , S -pure, pure relative to S*
 In 21.1: *universal flattening of \mathcal{F} exists, universal flattening of X exists*
 In 21.2: *flattening stratification, flattening stratification*

Groupoid Schemes

In 3.1: *pre-relation, relation, pre-equivalence relation, equivalence relation on U over S*
 In 3.3: *restriction, pullback*
 In 4.1: *group scheme over S , morphism $\psi : (G, m) \rightarrow (G', m')$ of group schemes over S*
 In 4.3: *closed subgroup scheme, open subgroup scheme*
 In 4.4: *smooth group scheme, flat group scheme, separated group scheme*
 In 8.1: *action of G on the scheme X/S , equivariant, G -equivariant*

In 8.2: *free*
 In 9.1: *pseudo G -torsor, formally principally homogeneous under G , trivial*
 In 9.3: *principal homogeneous space, G -torsor, G -torsor in the τ topology, τ G -torsor, τ torsor, quasi-isotrivial, locally trivial*
 In 10.1: *G -equivariant quasi-coherent \mathcal{O}_X -module, equivariant quasi-coherent \mathcal{O}_X -module*
 In 11.1: *groupoid scheme over S , groupoid over S , morphism $f : (U, R, s, t, c) \rightarrow (U', R', s', t', c')$ of groupoid schemes over S*
 In 12.1: *quasi-coherent module on (U, R, s, t, c)*
 In 14.2: *stabilizer of the groupoid scheme (U, R, s, t, c)*
 In 15.2: *restriction of (U, R, s, t, c) to U'*
 In 16.1: *R -invariant, R -invariant, R -invariant*
 In 17.1: *quotient sheaf U/R*
 In 17.2: *representable quotient, representable quotient*

More on Groupoid Schemes

Étale Morphisms of Schemes

In 3.1: *unramified homomorphism of local rings*
 In 3.5: *unramified at x , unramified*
 In 9.1: *flat, faithfully flat, flat (resp. faithfully flat)*
 In 9.3: *flat over Y at $x \in X$, flat at $x \in X$, flat, faithfully flat*
 In 11.1: *étale homomorphism of local rings*
 In 11.4: *étale at $x \in X$, étale*

Étale Cohomology

In 4.1: *étale covering*
 In 9.1: *presheaf of sets, abelian presheaf*
 In 10.1: *family of morphisms with fixed target*
 In 10.2: *site, coverings*
 In 11.1: *separated presheaf, sheaf*
 In 11.4: *category of sheaves of sets, abelian sheaves*
 In 13.1: *zeroth Čech cohomology group*

- In 15.1: *fpqc covering*
 In 15.5: *satisfies the sheaf property for the fpqc topology*
 In 16.1: *descent datum, effective*
 In 16.5: *descent datum*
 In 16.6: *effective*
 In 17.2: *ringed site, quasi-coherent*
 In 18.1: *Čech complex, Čech cohomology groups*
 In 18.4: *free abelian presheaf on \mathcal{G}*
 In 20.1: *τ -covering*
 In 20.2: *standard τ -covering*
 In 20.4: *big τ -site of S , small τ -site of S*
 In 21.1: *étale topos, small étale topos, Zariski topos, small Zariski topos, big τ -topos*
 In 23.1: *constant sheaf*
 In 23.3: *structure sheaf*
 In 26.1: *étale*
 In 26.3: *standard étale*
 In 27.1: *étale covering*
 In 27.3: *big étale site over S , small étale site over S , big, small Zariski sites*
 In 29.1: *geometric point, lies over, étale neighborhood, morphism of étale neighborhoods*
 In 29.6: *stalk*
 In 31.3: *support of \mathcal{F} , support of σ*
 In 32.2: *henselian*
 In 32.6: *strictly henselian*
 In 33.2: *étale local ring of S at \bar{s} , strict henselization of $\mathcal{O}_{S,s}$, henselization of $\mathcal{O}_{S,s}$, strict henselization of S at \bar{s} , henselization of S at s*
 In 35.1: *direct image, pushforward*
 In 35.3: *direct image, pushforward*
 In 35.4: *higher direct images*
 In 36.1: *inverse image, pullback*
 In 55.1: *G -set, discrete G -set, morphism of G -sets, G -Sets*
 In 56.1: *absolute Galois group, algebraic*
 In 57.1: *G -module, discrete G -module, morphism of G -modules, Mod_G*
 In 57.3: *continuous group cohomology groups, group cohomology groups, Galois cohomology groups, Galois cohomology groups of K with coefficients in M*
 In 59.3: *similar, equivalent*
 In 59.4: *Brauer group*
 In 59.8: *C_r , nontrivial solution*
 In 59.13: *variety, curve*
 In 61.1: *abelian variety*
 In 62.1: *finite locally constant*
 In 62.3: *constructible*
 In 63.1: *extension by zero*
 In 64.3: *restriction, trace*
 In 66.1: *absolute frobenius*
 In 66.5: *geometric frobenius*
 In 66.9: *arithmetic frobenius*
 In 66.11: *geometric frobenius*
 In 67.1: *trace*
 In 69.4: *total right derived functor of F , total right derived functor of G*
 In 70.1: *filtered injective, projective, filtered quasi-isomorphism*
 In 71.1: *filtered derived functor*
 In 73.1: *perfect*
 In 75.1: *finite Tor-dimension*
 In 75.4: *perfect complexes*
 In 76.1: *global Lefschetz number*
 In 76.2: *local Lefschetz number*
 In 77.2: *G -trace of f on P*
 In 80.1: *\mathbf{Z}_ℓ -sheaf, lisse, morphism*
 In 80.6: *torsion, stalk*
 In 80.8: *ℓ -adic cohomology*
 In 81.1: *L -function of \mathcal{F}*
 In 81.3: *L -function of \mathcal{F}*
 In 89.1: *open*
 In 93.1: *unramified cusp form on $GL_2(\mathbf{A})$ with values in Λ*
- Crystalline Cohomology**
- In 2.1: *divided power structure*
 In 3.1: *divided power ring, homomorphism of divided power rings*
 In 4.1: *extends*
 In 6.2: *divided power envelope of J in B relative to (A, I, γ)*
 In 8.1: *δ is compatible with γ*
 In 9.2: *divided power thickening, homomorphism of divided power thickenings*
 In 10.1: *divided power A -derivation*
 In 11.1: *divided power structure γ*
 In 11.2: *divided power scheme, morphism of divided power schemes*
 In 11.3: *divided power thickening*

- In 12.1: *divided power thickening of X relative to (S, \mathcal{I}, γ) , morphism of divided power thickenings of X relative to (S, \mathcal{I}, γ)*
- In 12.4: *Zariski, étale, smooth, syntomic, or fppf covering, big crystalline site*
- In 13.1: *crystalline site*
- In 15.1: *locally quasi-coherent, quasi-coherent, crystal in $\mathcal{O}_{X/S}$ -modules*
- In 15.3: *crystal in quasi-coherent modules, crystal in finite locally free modules*
- In 16.1: *S -derivation $D : \mathcal{O}_{X/S} \rightarrow \mathcal{F}$*
- In 31.2: *F -crystal on X/S (relative to σ), nondegenerate*
- In 9.3: *algebraic space structure on Z , reduced induced algebraic space structure, reduction X_{red} of X*
- In 13.1: *Noetherian*
- In 14.2: *étale*
- In 16.1: *small étale site $X_{étale}$*
- In 16.2: *$X_{spaces, étale}$*
- In 16.6: *étale topos, small étale topos*
- In 16.8: *f -map $\varphi : \mathcal{G} \rightarrow \mathcal{F}$*
- In 17.1: *geometric point, geometric point lying over x*
- In 17.2: *étale neighborhood, morphism of étale neighborhoods*
- In 17.6: *stalk*
- In 18.3: *support of \mathcal{F} , support of σ*
- In 19.2: *structure sheaf*
- In 20.2: *étale local ring of X at \bar{x} , strict henselization of X at \bar{x}*
- In 21.2: *dimension of the local ring of X at x*
- In 22.2: *geometrically unibranch at x , geometrically unibranch*
- In 27.1: *quasi-coherent*
- In 29.2: *locally projective*

Algebraic Spaces

- In 5.1: *property \mathcal{P}*
- In 6.1: *algebraic space over S*
- In 6.3: *morphism $f : F \rightarrow F'$ of algebraic spaces over S*
- In 9.2: *étale equivalence relation*
- In 9.3: *presentation*
- In 12.1: *open immersion, open subspace, closed immersion, closed subspace, immersion, locally closed subspace*
- In 12.5: *Zariski covering*
- In 12.6: *small Zariski site F_{Zar}*
- In 13.2: *separated over S , locally separated over S , quasi-separated over S , Zariski locally quasi-separated over S*
- In 14.4: *acts freely, quotient of U by G*
- In 16.2: *base change of F' to S , viewed as an algebraic space over S'*

Properties of Algebraic Spaces

- In 3.1: *separated, locally separated, quasi-separated, Zariski locally quasi-separated, separated, locally separated, quasi-separated, Zariski locally quasi-separated*
- In 4.1: *point*
- In 4.7: *topological space*
- In 5.1: *quasi-compact*
- In 7.2: *has property \mathcal{P}*
- In 7.5: *has property \mathcal{P} at x*
- In 8.1: *dimension of X at x*
- In 8.2: *dimension*

Morphisms of Algebraic Spaces

- In 5.2: *separated, locally separated, quasi-separated*
- In 6.2: *surjective*
- In 7.2: *open, universally open*
- In 8.1: *submersive, universally submersive*
- In 9.2: *quasi-compact*
- In 10.2: *closed, universally closed*
- In 11.1: *satisfies the uniqueness part of the valuative criterion, satisfies the existence part of the valuative criterion, satisfies the valuative criterion*
- In 14.1: *monomorphism*
- In 18.3: *universally injective*
- In 19.2: *affine*
- In 20.2: *quasi-affine*
- In 21.2: *has property \mathcal{P}*
- In 21.4: *has property \mathcal{Q} at x*
- In 22.1: *locally of finite type, finite type at x , of finite type*
- In 24.2: *finite type point*
- In 25.1: *locally quasi-finite, quasi-finite at x , quasi-finite*

In 26.1: *locally of finite presentation, finite presentation at x , of finite presentation*

In 27.1: *flat, flat at x*

In 28.2: *flat at x over Y , flat over Y*

In 30.1: *dimension of the local ring of the fibre of f at x , transcendence degree of $x/f(x)$, f has relative dimension d at x*

In 30.2: *relative dimension $\leq d$, relative dimension d*

In 32.1: *syntomic, syntomic at x*

In 33.1: *smooth, smooth at x*

In 34.1: *unramified, unramified at x , G -unramified, G -unramified at x*

In 35.1: *étale at x*

In 36.1: *proper*

In 37.2: *integral, finite*

In 38.2: *finite locally free, rank, degree*

In 41.2: *universal homeomorphism*

Decent Algebraic Spaces

In 3.1: *fibres of f are universally bounded*

In 6.1: *decent, reasonable, very reasonable*

In 10.6: *residual space of X at x*

In 13.1: *has property (β) , has property (β) , decent, reasonable, very reasonable*

Cohomology of Algebraic Spaces

In 3.1: *derived category of \mathcal{O}_X -modules with quasi-coherent cohomology sheaves*

In 6.2: *alternating Čech complex*

Limits of Algebraic Spaces

In 3.1: *locally of finite presentation, limit preserving, locally of finite presentation over S , locally of finite presentation, relatively limit preserving*

Topologies on Algebraic Spaces

In 3.1: *fppc covering of X*

In 4.1: *fppf covering of X*

In 5.1: *syntomic covering of X*

In 6.1: *smooth covering of X*

In 7.1: *étale covering of X*

In 8.1: *Zariski covering of X*

Descent and Algebraic Spaces

In 3.1: *descent datum $(\mathcal{F}_i, \varphi_{ij})$ for quasi-coherent sheaves, cocycle condition, morphism $\psi : (\mathcal{F}_i, \varphi_{ij}) \rightarrow (\mathcal{F}'_i, \varphi'_{ij})$ of descent data*

In 3.3: *trivial descent datum, canonical descent datum, effective*

In 9.1: *τ local on the base, τ local on the target, local on the base for the τ -topology*

In 12.1: *τ local on the source, local on the source for the τ -topology*

In 18.1: *smooth local on source-and-target*

More on Morphisms of Spaces

In 3.1: *radicial*

In 4.1: *conormal sheaf $\mathcal{C}_{Z/X}$ of Z in X , conormal sheaf of i*

In 5.2: *sheaf of differentials $\Omega_{X/Y}$ of X over Y , universal Y -derivation*

In 7.1: *thickening, first order thickening, morphism of thickenings, thickenings over B , morphisms of thickenings over B*

In 8.1: *first order infinitesimal neighbourhood*

In 9.1: *formally smooth, formally étale, formally unramified*

In 10.1: *formally unramified*

In 11.5: *universal first order thickening, conormal sheaf of Z over X*

In 12.1: *formally étale*

In 15.1: *formally smooth*

In 18.2: *the restriction of \mathcal{F} to its fibre over z is flat at x over the fibre of Y over z , the fibre of X over z is flat at x over the fibre of Y over z , the fibre of X over z is flat over the fibre of Y over z*

In 21.2: *Koszul-regular immersion, H_1 -regular immersion, quasi-regular immersion*

In 22.1: *pseudo-coherent, pseudo-coherent at x*

In 23.1: *perfect, perfect at x*

In 24.1: *Koszul morphism, local complete intersection morphism, Koszul at x*

Quot and Hilbert Spaces

Algebraic Spaces over Fields

Stacks

- In 2.2: presheaf of morphisms from x to y , presheaf of isomorphisms from x to y
- In 3.1: descent datum (X_i, φ_{ij}) in \mathcal{S} relative to the family $\{f_i : U_i \rightarrow U\}$, cocycle condition, morphism $\psi : (X_i, \varphi_{ij}) \rightarrow (X'_i, \varphi'_{ij})$ of descent data
- In 3.4: pullback functor
- In 3.5: trivial descent datum, canonical descent datum, effective
- In 4.1: stack
- In 4.5: 2-category of stacks over \mathcal{C}
- In 5.1: stack in groupoids
- In 5.5: 2-category of stacks in groupoids over \mathcal{C}
- In 6.1: stack in setoids, stack in sets, stack in discrete categories
- In 6.5: 2-category of stacks in setoids over \mathcal{C}
- In 10.2: structure of site on \mathcal{S} inherited from \mathcal{C} , \mathcal{S} is endowed with the topology inherited from \mathcal{C}
- In 11.1: gerbe
- In 11.4: gerbe over
- In 12.4: $f_*\mathcal{S}$, pushforward of \mathcal{S} along f
- In 12.9: $f^{-1}\mathcal{S}$, pullback of \mathcal{S} along f

Formal Deformation Theory

- In 3.1: \mathcal{C}_Λ , classical case
- In 3.2: small extension
- In 3.6: relative cotangent space
- In 3.9: essential surjection
- In 4.1: $\widehat{\mathcal{C}}_\Lambda$
- In 5.1: category cofibered in groupoids over \mathcal{C}
- In 6.1: prorepresentable
- In 6.2: predeformation category, morphism of predeformation categories
- In 7.1: category $\widehat{\mathcal{F}}$ of formal objects of \mathcal{F} , formal object $\xi = (R, \xi_n, f_n)$ of \mathcal{F} , morphism $a : \xi \rightarrow \eta$ of formal objects
- In 7.3: completion of \mathcal{F}
- In 8.1: smooth
- In 8.13: versal
- In 9.1: conditions (S1) and (S2)
- In 10.1: R -linear
- In 10.9: tangent space $T\mathcal{F}$ of \mathcal{F}
- In 11.1: tangent space $T\mathcal{F}$ of \mathcal{F}

- In 11.3: differential $d\varphi : T\mathcal{F} \rightarrow T\mathcal{G}$ of φ
- In 13.4: minimal, miniversal
- In 15.1: condition (RS)
- In 15.8: deformation category
- In 16.1: lift of x along f , morphism of lifts
- In 18.1: group of infinitesimal automorphisms of x' over x
- In 18.2: group of infinitesimal automorphisms of x_0
- In 18.5: automorphism functor of x
- In 19.1: category of groupoids in functors on \mathcal{C} , groupoid in functors on \mathcal{C} , morphism $(U, R, s, t, c) \rightarrow (U', R', s', t', c')$ of groupoids in functors on \mathcal{C}
- In 19.4: representable
- In 19.7: restriction $(U, R, s, t, c)|_{\mathcal{C}'}$ of (U, R, s, t, c) to \mathcal{C}'
- In 19.9: quotient category cofibered in groupoids $[U/R] \rightarrow \mathcal{C}$, quotient morphism $U \rightarrow [U/R]$
- In 20.1: prorepresentable
- In 20.2: completion $(U, R, s, t, c)^\wedge$ of (U, R, s, t, c)
- In 21.1: smooth
- In 23.1: presentation of \mathcal{F} by (U, R, s, t, c)
- In 25.1: normalized, minimal

Groupoids in Algebraic Spaces

- In 4.1: pre-relation, relation, pre-equivalence relation, equivalence relation on U over B
- In 4.3: restriction, pullback
- In 5.1: group algebraic space over B , morphism $\psi : (G, m) \rightarrow (G', m')$ of group algebraic spaces over B
- In 8.1: action of G on the algebraic space X/B , equivariant, G -equivariant
- In 8.2: free
- In 9.1: pseudo G -torsor, formally principally homogeneous under G , trivial
- In 9.3: principal homogeneous space, principal homogeneous G -space over B , G -torsor in the τ topology, τ G -torsor, τ torsor, quasi-isotrivial, locally trivial
- In 10.1: G -equivariant quasi-coherent \mathcal{O}_X -module, equivariant quasi-coherent \mathcal{O}_X -module

In 11.1: *groupoid in algebraic spaces over B , morphism $f : (U, R, s, t, c) \rightarrow (U', R', s', t', c')$ of groupoids in algebraic spaces over B*

In 12.1: *quasi-coherent module on (U, R, s, t, c)*

In 15.2: *stabilizer of the groupoid in algebraic spaces (U, R, s, t, c)*

In 16.2: *restriction of (U, R, s, t, c) to U'*

In 17.1: *R -invariant, R -invariant, R -invariant*

In 18.1: *quotient sheaf U/R*

In 18.3: *quotient representable by an algebraic space, representable quotient, representable quotient, quotient representable by an algebraic space*

In 19.1: *quotient stack, quotient stack*

More on Groupoids in Spaces

In 11.1: *split over u , splitting of R over u , quasi-split over u , quasi-splitting of R over u*

Bootstrap

In 3.1: *representable by algebraic spaces*

In 4.1: *property \mathcal{P}*

Examples of Stacks

In 17.2: *degree d finite Hilbert stack of \mathcal{X} over \mathcal{Y}*

Quotients of Groupoids

In 3.1: *R -invariant, G -invariant*

In 3.4: *pullback, flat pullback*

In 4.1: *categorical quotient, categorical quotient in \mathcal{C} , categorical quotient in the category of schemes, categorical quotient in schemes*

In 4.4: *universal categorical quotient, uniform categorical quotient*

In 5.1: *orbit, R -orbit*

In 5.4: *weakly R -equivalent, R -equivalent, weak orbit, weak R -orbit, orbit, R -orbit*

In 5.8: *set-theoretically R -invariant, separates orbits, separates R -orbits*

In 5.13: *set-theoretic pre-equivalence relation, set-theoretic equivalence relation*

In 5.18: *orbit space for R*

In 6.1: *coarse quotient, coarse quotient in schemes*

In 7.1: *uniformly, universally*

In 8.1: *sheaf of R -invariant functions on X , the functions on X are the R -invariant functions on U*

In 9.1: *good quotient*

In 10.1: *geometric quotient*

Algebraic Stacks

In 8.1: *representable by an algebraic space over S*

In 9.1: *representable by algebraic spaces*

In 10.1: *property \mathcal{P}*

In 12.1: *algebraic stack over S*

In 12.2: *Deligne-Mumford stack*

In 12.3: *2-category of algebraic stacks over S*

In 16.4: *smooth groupoid*

In 16.5: *presentation*

In 19.2: *viewed as an algebraic stack over S'*

In 19.3: *change of base of \mathcal{X}'*

Sheaves on Algebraic Stacks

In 3.1: *presheaf on \mathcal{X} , morphism of presheaves on \mathcal{X}*

In 4.1: *associated Zariski site, associated étale site, associated smooth site, associated syntomic site, associated fppf site*

In 4.3: *Zariski sheaf, sheaf for the Zariski topology, étale sheaf, sheaf for the étale topology, smooth sheaf, sheaf for the smooth topology, syntomic sheaf, sheaf for the syntomic topology, fppf sheaf, sheaf, sheaf for the fppf topology*

In 4.5: *associated morphism of fppf topoi*

In 6.1: *structure sheaf of \mathcal{X}*

In 7.1: *presheaf of modules on \mathcal{X} , $\mathcal{O}_{\mathcal{X}}$ -module, sheaf of $\mathcal{O}_{\mathcal{X}}$ -modules*

In 9.2: *pullback $x^{-1}\mathcal{F}$ of \mathcal{F} , restriction of \mathcal{F} to $U_{\text{étale}}$*

In 11.1: *quasi-coherent module on \mathcal{X} , quasi-coherent $\mathcal{O}_{\mathcal{X}}$ -module*

In 11.4: *locally quasi-coherent*

Criteria for Representability

In 8.1: *algebraic*

Artin's axioms

Properties of Algebraic Stacks

- In 4.2: *point*
- In 4.8: *topological space*
- In 5.1: *surjective*
- In 6.1: *quasi-compact*
- In 7.2: *has property \mathcal{P}*
- In 7.5: *has property \mathcal{P} at x*
- In 8.1: *monomorphism*
- In 9.1: *open immersion, closed immersion, immersion*
- In 9.8: *open substack, closed substack, locally closed substack*
- In 10.4: *algebraic stack structure on Z , reduced induced algebraic stack structure, reduction \mathcal{X}_{red} of \mathcal{X}*
- In 11.8: *residual gerbe of \mathcal{X} at x exists, residual gerbe of \mathcal{X} at x*

Morphisms of Algebraic Stacks

- In 4.1: *DM, quasi-DM, separated, quasi-separated*
- In 4.2: *DM over S , quasi-DM over S , separated over S , quasi-separated over S , DM, quasi-DM, separated, quasi-separated*
- In 5.3: *sheaf of automorphisms of x*
- In 7.2: *quasi-compact*
- In 8.1: *Noetherian*
- In 9.2: *open, universally open*
- In 10.1: *submersive, universally submersive*
- In 11.2: *closed, universally closed*
- In 12.2: *has property \mathcal{P}*
- In 13.1: *locally of finite type, of finite type*
- In 14.2: *finite type point*
- In 16.2: *locally quasi-finite*
- In 17.1: *flat*
- In 18.1: *locally of finite presentation, of finite presentation*
- In 19.1: *gerbe over, gerbe*
- In 22.1: *smooth*

Cohomology of Algebraic Stacks

- In 7.1: *flat base change property*
- In 8.1: *parasitic*
- In 11.1: *lisse-étale site, flat-fppf site*
- In 13.1: *derived category of $\mathcal{O}_{\mathcal{X}}$ -modules with quasi-coherent cohomology sheaves*

Introducing Algebraic Stacks

- In 4.3: *smooth*
- In 5.1: *algebraic stack*

Examples

Exercises

- In 2.1: *directed partially ordered set, system of rings*
- In 2.3: *colimit*
- In 2.8: *finite presentation*
- In 5.4: *quasi-compact*
- In 5.6: *Hausdorff*
- In 5.9: *irreducible, irreducible*
- In 5.12: *generic point*
- In 5.16: *Noetherian, Artinian*
- In 5.18: *irreducible component*
- In 5.22: *closed, specialization, generalization*
- In 5.26: *connected, connected component*
- In 8.1: *length*
- In 12.1: *catenary*
- In 15.1: *finite locally free, invertible module*
- In 15.3: *class group of A , Picard group of A*
- In 17.1: *going-up theorem, going-down theorem*
- In 19.1: *numerical polynomial*
- In 19.2: *graded module, locally finite, Euler-Poincaré function, Hilbert function, Hilbert polynomial*
- In 19.3: *graded A -algebra, graded module M over a graded A -algebra B , homomorphisms of graded modules/rings, graded submodules, graded ideals, exact sequences of graded modules*
- In 20.1: *homogeneous*
- In 20.2: *homogeneous spectrum $\text{Proj}(R)$*
- In 20.3: $R_{(f)}$
- In 21.1: *Cohen-Macaulay*
- In 23.3: *filtered injective*
- In 23.4: $\text{Fil}^f(\mathcal{A})$
- In 23.6: *filtered quasi-isomorphism*
- In 23.7: *filtered acyclic*
- In 26.12: *integral*
- In 28.1: *dual numbers*
- In 28.3: *tangent space of X over S , tangent vector*

- In 29.1: *quasi-coherent*
 In 29.2: *specialization*
 In 29.5: *locally Noetherian, Noetherian*
 In 29.6: *coherent*
 In 32.1: *invertible \mathcal{O}_X -module*
 In 32.4: *invertible module M , trivial*
 In 32.7: *Picard group of X*
 In 33.2: $\delta(\tau)$
 In 34.1: *Weil divisor, prime divisor, Weil divisor associated to a rational function $f \in K(X)^*$, effective Cartier divisor, Weil divisor $[D]$ associated to an effective Cartier divisor $D \subset X$, sheaf of total quotient rings \mathcal{K}_S , Cartier divisor, Weil divisor associated to a Cartier divisor*

A Guide to the Literature

Desirables

Coding Style

Obsolete

GNU Free Documentation License

3. Other chapters

- | | |
|-------------------------------|-------------------------------------|
| (1) Introduction | (34) More on Flatness |
| (2) Conventions | (35) Groupoid Schemes |
| (3) Set Theory | (36) More on Groupoid Schemes |
| (4) Categories | (37) Étale Morphisms of Schemes |
| (5) Topology | (38) Étale Cohomology |
| (6) Sheaves on Spaces | (39) Crystalline Cohomology |
| (7) Commutative Algebra | (40) Algebraic Spaces |
| (8) Brauer Groups | (41) Properties of Algebraic Spaces |
| (9) Sites and Sheaves | (42) Morphisms of Algebraic Spaces |
| (10) Homological Algebra | (43) Decent Algebraic Spaces |
| (11) Derived Categories | (44) Cohomology of Algebraic Spaces |
| (12) More on Algebra | (45) Limits of Algebraic Spaces |
| (13) Smoothing Ring Maps | (46) Topologies on Algebraic Spaces |
| (14) Simplicial Methods | (47) Descent and Algebraic Spaces |
| (15) Sheaves of Modules | (48) More on Morphisms of Spaces |
| (16) Modules on Sites | (49) Quot and Hilbert Spaces |
| (17) Injectives | (50) Spaces over Fields |
| (18) Cohomology of Sheaves | (51) Stacks |
| (19) Cohomology on Sites | (52) Formal Deformation Theory |
| (20) Hypercoverings | (53) Groupoids in Algebraic Spaces |
| (21) Schemes | (54) More on Groupoids in Spaces |
| (22) Constructions of Schemes | (55) Bootstrap |
| (23) Properties of Schemes | (56) Examples of Stacks |
| (24) Morphisms of Schemes | (57) Quotients of Groupoids |
| (25) Cohomology of Schemes | (58) Algebraic Stacks |
| (26) Divisors | (59) Sheaves on Algebraic Stacks |
| (27) Limits of Schemes | (60) Criteria for Representability |
| (28) Varieties | (61) Artin's Axioms |
| (29) Chow Homology | (62) Properties of Algebraic Stacks |
| (30) Topologies on Schemes | (63) Morphisms of Algebraic Stacks |
| (31) Descent | (64) Cohomology of Algebraic Stacks |
| (32) Adequate Modules | (65) Introducing Algebraic Stacks |
| (33) More on Morphisms | (66) Examples |

- | | |
|--------------------------|-------------------------------------|
| (67) Exercises | (71) Obsolete |
| (68) Guide to Literature | (72) GNU Free Documentation License |
| (69) Desirables | (73) Auto Generated Index |
| (70) Coding Style | |